

mdose

MEDICAL

LOGISTICS & IT



WHO WE ARE / OUR ORGANIZATION

Mdose is the medical Business Unit of a company based in the Île-de-France region, Multiroir, founded in 1957. Specializing in storage solutions for professionals and owning the injection molds for plastic drawer manufacturing, Multiroir Medical was established in 2005 to meet the specific needs of the healthcare sector. This expansion included the development of furniture solutions such as trolleys and cabinets, positioning the company as a manufacturer.

In 2010, the first semi-automated unit dose packaging (PDA) solution, developed in-house, was introduced to the nursing home market. In 2015, the brand identity evolved with the launch of Mdose. By summer 2020, Multiroir acquired Hyppomed, which naturally integrated into the medical BU.

In November 2023, Mdose strengthened its expertise in modular furniture with the acquisition of Farmalis.

OUR PLATFORM

*Find our complete product range and
save time by visiting www.mdose.fr.*



TIME-SAVING

A comprehensive view of our product catalog and real-time availability of each item.




SECURE PERSONAL ACCOUNT

Access all your account information, track your orders, and manage your quotes in just a few clicks.



PROMOTIONS

Discover and take advantage of web-exclusive discounts on selected products.



DELIVERY

Provide key details to ensure your product delivery meets your expectations.



ONLINE ORDERING 24/7

Our website is available at all times, allowing you to place orders anytime, anywhere.

WWW.MDOSE.FR



OUR ECO-RESPONSIBLE COMMITMENTS

LMdose is committed to a virtuous societal approach, providing pharmaceutical industry professionals with tools to combat the issue of iatrogenesis.

Beyond this social and healthcare commitment, Mdose integrates eco-design principles into its product development: French manufacturing to minimize environmental impact. Use of recycled or recyclable materials whenever possible. Partner selection based on shared environmental values.

We are dedicated to ethical, transparent, and responsible business practices.

For example, we are a member of the CITEO eco-organization and contribute financially to packaging sorting and collection systems (ADEME ID: FR320613_01SSIS).

OUR CSR POLICY



We have been actively committed to environmental sustainability for many years, as demonstrated by our EnVol (Voluntary Environmental Commitment) certification.

This label is based on level 1 of the NF X30-205 standard, requiring the implementation of a continuously improving Environmental Management System (EMS).



We also prioritize employee well-being by fostering workplace cohesion through internal events.

Our leadership maintains an open and accessible management style, reinforcing proximity and availability.



Mdose ensures compliance with all applicable health, safety, and environmental regulations and integrates these criteria into supplier selection.

Additionally, understanding and anticipating customer needs is a fundamental pillar of our approach.

TABLE OF CONTENTS

Find all our functional and ergonomic solutions tailored to healthcare services.



TROLLEYS


1/ MEDICATION DISTRIBUTION TROLLEYS	8
NOVELO medication	8
NOVELO motorized	12
CAMELEON medication	14
2/ CARE, ANESTHESIA & EMERGENCY TROLLEYS	20
NOVELO care, anesthesia & emergency	20
Mdose care & emergency trolleys	26
INSAUSTI trolleys 480 × 480	30
INSAUSTI trolleys 640 × 480	32
3/ MEDICAL TROLLEYS	34
ECO stainless steel trolleys	34
Mdose stainless steel trolleys	35
Colored stainless steel trolleys	37
Resin tray trolleys	38
ABS trolleys 600 × 400	40
Multi-purpose trolleys	41
IV stands	42
4/ IT TROLLEYS	46
NOVELO panel PC/computerized trolley	46
Laptop trolley without battery	48
PC/monitor trolleys with or without battery	52
5/ ROUNDING TROLLEYS	56
CAMELEON rounding trolley	56
6/ LINEN TROLLEYS	57
Bag holder trolleys	57
CLAPPY® hermetic bag holder trolley	58
Linen transport trolleys	59
Linen distribution trolleys	60
7/ DIAPER & HYGIENE TROLLEYS	63
8/ ISO STANDARD TRANSFER TROLLEYS & CABINETS	64
Transport trolleys with doors	64
Open transport trolleys	65
Transfer cabinets with curtain doors 600 × 400	65
Transfer cabinets with tight-fitting drawers	67





STORAGE & ORGANIZATION FURNITURE

1/ SLIDING DOOR & DRAWER CABINETS	70
Side-opening sliding door cabinets	70
600 × 400 side-opening sliding door cabinets	74
600 × 400 vertical-opening sliding door cabinets	74
600 × 400 modular cabinets with tight-fitting drawers	75
2/ MOBILE WORKSTATIONS	77
Single, double, and triple drawer units	77
Mobile workstations	78
3/ MODULAR FURNITURE FOR TREATMENT ROOMS	79
Modular furniture	79
Custom-made furniture	79
4/ DRAWER BLOCKS	80
5/ STORAGE FURNITURE	81
Shelving units	81
Workstations	82
600 × 400 open storage units	83
Pick stations	84
6/ TRANSPORT BINS WITH LIDS	85



INTERNAL STORAGE & ACCESSORIES

1/ DRAWER BINS & COMPONENTS	88
Modular tight-fitting drawers	88
Drawers on telescopic rails	88
Subdivision bins & dividers	88
Partition kits	89
Dividers / label holders / label supports	89
Named bins with dividers for snail-type distribution	89
Pill organizers & weekly dispensers	89
Cross dividers for modular drawers	89
2/ PLUMIER PILL ORGANIZERS	90
600 × 400 plumier pill organizers	90
3/ ISO STANDARD BINS & ACCESSORIES	91
600 × 400 bins	91
Accessories for 600 × 400 bins	92
4/ PLASTIC DRAWERS	93
MULTIROIR Cristal drawers	93
MULTIROIR TBS drawers	94
MLT open-front bins	94
Dividable bins	94
Separation containers	95
Drawer bins	95
LAB boxes	95
Tilt bins	95
5/ MEDICATION ACCESSORIES	96
Medicine cups	96
Home pill organizers	96
Clamshell pill organizers	96
Pill organizer filler	97
Unit-dose packaging machines	97
Medication grinders	98

6/ UNIT DOSE DISPENSING SYSTEMS	99
HEB'DOSE® DUO	99
HEB'DOSE® SOLO	100
HEB'DOSE® MULTI	100
HEB'DOSE® XL	100
Plumier dispensers for nursing homes	101
Binder-based solution	101



OPERATING ROOM & STERILIZATION EQUIPMENT

1/ MEDICAL MOUNTING SYSTEMS	104
Pivoting & articulated arms	104
Wall-mounted columns	110
2/ MEDICAL IT EQUIPMENT	112
Panel PCs	112
Medical monitors & tablets	114
3/ MEDICAL-GRADE KEYBOARDS & MICE	115
Wired keyboards & mice	115
Wireless keyboards & mice	117
4/ STERILIZATION SERVICE FURNITURE	118
Single, double & triple sterilization trolleys	118
Wall-mounted supports	119
Baskets & accessories	119
Packaging table	121
5/ OPERATING ROOM FURNITURE & ACCESSORIES	123
Stainless steel instrument table	123
Bridge table	124
Silent assistant trolley	124
Mobile stainless steel shoe rack	125
Stainless steel step stool	125
Stainless steel operating room platform	125
Stainless steel rolling basin	126
Stainless steel wall accessories	126
Stool	126
Surgeon's saddle	126





TROLLEYS

With our expertise in medical equipment, we have developed a range of user-centered trolleys designed to meet the diverse needs of healthcare facilities.

Today, Mdose offers a comprehensive range that perfectly aligns with the requirements of healthcare professionals:



TROLLEYS

MEDICATION DISTRIBUTION
TROLLEYS

1 | MEDICATION DISTRIBUTION TROLLEYS

Our modular Novelo range and the Caméléon trolley enable Individualized Medication Dispensing (IMD) for short-, medium-, or long-term care settings.

NOVELO MEDICATION



**MADE IN
FRANCE**

NOVELO medication trolley with seamless drawers



60.205000 RAL5019
NOVELO 9
700 x 500 x H920 mm



60.205020 RAL5019
NOVELO 10
700 x 500 x H990 mm



60.205050 RAL4003
NOVELO 12
700 x 500 x H1090 mm



60.205052 RAL4003
NOVELO 14
700 x 500 x H1230 mm

Additional colors available upon request
Complete color chart: page 127

RAL
1028

RAL
3001

RAL
4003

RAL
4005

RAL
4006

RAL
5002

RAL
5015

RAL
5019

RAL
6033

RAL
7035

TECHNICAL SPECIFICATIONS

- Aluminum monoblock frame, epoxy-coated (26 color options).
- 6 cm polypropylene base for Novelo 9 and 10 models.
- 1 cm HPL base for Novelo 12 and 14 models.
- ABS worktop with 3 cm raised edges.
- Removable ABS rails, tool-free for easy cleaning.
- Ø125 mm wheels with wire guards and soft, non-marking thermoplastic rubber (TPE) tires, mounted on ball-bearing swivel casters with deep-seal protection. Two wheels with brakes.
- Equipped with two universal rails as standard.
- Centralized locking system, available with a key or programmable code.
- Delivered without drawers, with optional accessories for a fully customizable configuration.
- French-made
- 2-year warranty

TROLLEYS

MEDICATION DISTRIBUTION
TROLLEYS



Dispenser box configurations
60.001 RAL5002 – 36 résidents
60.002 RAL5002 – 48 résidents



Dispenser box configurations
60.003 RAL5002 – 42 résidents
60.004 RAL5002 – 60 résidents



24-Patient configuration
60.005 RAL5002
Includes 1/6 and 1/4 partitioning kit

COMPONENTS



60.401010
Drawer H65 mm



60.401020
Drawer H135 mm



60.401030
Drawer H205 mm



60.402025
1/6 kit for 65 mm drawer



60.402015
1/4 kit for 65 mm drawer



60.402045
1/6 kit for 135 mm drawer



60.402035
1/4 kit for 135 mm drawer



60.402075
Kit of 6 labeled bins
(for 6 or 12 residents)



60.402070
Individual labeled bin with divider



60.408015
Daily pill organizer,
3 dividers



NOVELO curtain medicine

Additional colors available upon request
Complete color chart: page 127

RAL
1028

RAL
3001

RAL
4003

RAL
4005

RAL
4006

RAL
5002

RAL
5015

RAL
5019

RAL
6033

RAL
7035



NOVELO curtain 9 key lock
60.202036 RAL5019



NOVELO curtain 9 code lock
60.202037 RAL5019



NOVELO curtain 11 key lock
60.202039 RAL4003



NOVELO curtain 11 code lock
60.202040 RAL4003



TECHNICAL SPECIFICATIONS

- Monobloc aluminum structure, epoxy-coated (26 color options).
- 1 cm HPL base for added stability.
- ABS worktop with 3 cm raised edges for easy cleaning.
- Removable ABS rails, tool-free for quick disinfection.
- Roll-top door with key or electronic code locking system.
- Ø125 mm wheels, including two with brakes, featuring wire guards and soft, non-marking thermoplastic rubber (TPE) tires, mounted on ball-bearing swivel casters with deep-seal protection.
- Two universal rails included as standard.
- Delivered without drawers, with optional accessories for full customization.
- French-made.
- 2-year warranty.



60.402075
Kit of 6 labeled bins
(for 6 or 12 residents)



60.402070
Individual labeled bin with divider



60.407011
Shelf



Basket 600x400
(complete range P.91)



Complete range of
accessories
see p. 13

TROLLEYS

MEDICATION DISTRIBUTION
TROLLEYS

NOVELO MOTORIZED

Reduction of
Musculoskeletal



**MADE IN
FRANCE**



Sensitive handles
for instant,
intuitive handling.

Proportional
braking system,
adapting to the
user.

Interchangeable Li-Ion
battery with energy
recovery for greater
autonomy.

Solution compliant
with the Machinery
Directive 2006/42/CE

Multi-directional central
motorized wheel for easy
movement in confined
spaces.



Kit with emergency stop button / battery
status indicator / Ergo Feedback function
function (effort visualization).



Non-visible battery kit located in the "crawl
space" of the cart to optimize space
and protect the kit from external impact.

TECHNICAL SPECIFICATIONS

- Available on the entire Novelo range.
- Sensitive handle technology and proportional braking system to adapt instantly to the user's driving intention.
- Function to stop the truck, either by pressing the stop button or when the handles are released.
- No effect on truck operation in "off" mode.
- Hot-swappable 24V-7A lithium battery with energy recovery (recharging during deceleration/braking).
- Battery usable from 0 to 100% without affecting service life.
- Full charge time: 4 h for a range of around 15 km flat.
- Warranty: 2 years (excluding battery).
- Battery guaranteed for 1 year (parts, labor and travel included).

NOVELO ACCESSORIES



60.204075




60.204079



60.204090 – right
60.204091 – left




60.204050 – right
60.204051 – left




60.204073 – bottom left
60.204074 – bottom right



60.204015
36 x 13 x 9 cm



60.204019
40 x 21 x 21 cm



60.204017
43 x 26 x 12 cm



54537




60.204020



60.204035
15 x 15 x 28 cm




60.204024
10 x 10 x 8 / 12 cm




60.204023
14,5 x 8,5 x 16 cm




60.204000



60.204006




60.204005



60.204086



60.204046 – right
60.204047 – left



60.204045 – right
60.204044 – left

TROLLEYS

MEDICATION DISTRIBUTION
TROLLEYS

CAMELEON MEDICATION

The CAMELEON range is a unique offering on the market. this range is designed to facilitate medication distribution, regardless of the organizational scheme:

- Daily Individual Nominative Dispensing (DIND) in non-deblistered or unit-dose form.
- Daily Individual Nominative Dispensing (DIND) in detachable single-use blister packs, such as pda heb'dose.
- Daily Individual Nominative Dispensing (DIND) via dispenser box (prepared by an automated system).
- weekly nominative dispensing.



**MADE IN
FRANCE**

TECHNICAL SPECIFICATIONS

- Folded steel frame, white epoxy paint, and aluminum profiles.
- Exterior casing made of polyester-lacquered composite aluminum.
- Interior casing in abs/pmma – available in 12, 14, or 16 levels. abs work surface with three-sided raised edges, H50 mm.
- Closure with a high-density polyethylene roller shutter. lock with 4-digit combinations + key or electronic lock.
- Double wheels Ø125 mm, including 2 with brakes and 2 anti-static.
- Standard equipment: 1 foldable side shelf on the right and 3 universal rails.
- Empty weight: 24 kg..
- Overall dimensions:
 - 12 levels : 720 x 520 x H1080 mm.
 - 14 levels : 720 x 520 x H1215 mm.
 - 16 levels : 720 x 520 x H1345 mm.
- 2-year warranty



White
62100.E - 12 levels
62110.E - 14 levels
62120.E - 16 levels



Anis
62101.E - 12 levels
62111.E - 14 levels
62121.E - 16 levels



Blue-violet
62102.E - 12 levels
62112.E - 14 levels
62122.E - 16 levels



Plum
62103.E - 12 levels
62113.E - 14 levels
62123.E - 16 levels



Turquoise
62104.E - 12 levels
62114.E - 14 levels
62124.E - 16 levels

TROLLEYS

MEDICATION DISTRIBUTION
TROLLEYS



CAMELEON 12



CAMELEON 14



CAMELEON 16

Robustness and reliability

- A structure designed to withstand mechanical shocks and corrosion.
- An exterior casing in composite aluminum, coated with a highly scratch-resistant and uv-resistant polyester lacquer.
- A 4 mm abs/pmma interior casing, built for intensive use, a high-density polyethylene roller shutter combining flexibility and durability.
- Double wheels capable of supporting up to 100 kg per wheel.

Hygiene and safety

- Materials such as composite aluminum and abs/pmma are compatible with common disinfectants.
- Rounded shapes facilitate cleaning, a removable roller shutter allows for complete interior cleaning of profiles, the back panel, and the base.
- Double polyurethane wheels leave no marks on the floor, are anti-thread, and fully sealed against dust and dirt.
- Secure locking system with a 4-digit code or electronic lock.

Ergonomics

- A large work surface with a useful size of 600 x 470 mm, positioned at an optimal height of 1030 mm.
- Rounded edges on the work surface facilitate handling and maneuvering.
- Spacing between each level allows for easy removal of a pillbox without removing the entire tray.
- Double wheels with ball bearings reduce the force needed to move the trolley by 35%.
- Wheel brakes designed to be easily released with a simple press on the top part.

Modularity, capacity, and aesthetics

- Available in 12, 14, or 16 levels, compliant with the 600 x 400 standard, for easy insertion of bins, baskets, and pillbox trays.
- Universal rails attached to aluminum profiles allow for the addition of all necessary accessories for healthcare staff.
- Computer-compatible solutions adapted to the requirements of its services.
- Modern rounded lines and colors make the chameleon pleasant for daily use.



Heb'Dose PDA configuration
Daily dispenser pens
CAMELEON 12



Heb'Dose PDA configuration
Weekly binder
CAMELEON 12



Heb'Dose PDA configuration
28 weekly pillboxes
CAMELEON 12



Nominative pill dispenser configuration
CAMELEON 12



Nominal bin configuration
CAMELEON 12



Weekly pencil tray configuration
CAMELEON 12



Configuration for 60 residents with dispenser box
CAMELEON 14



Alzheimer's unit configuration
CAMELEON 14



Alzheimer's unit configuration
CAMELEON 16

TROLLEYS

MEDICATION DISTRIBUTION
TROLLEYS

CAMELEON ACCESSORIES



62204 - left
62205 - right (standard)



62200 - top left (standard)
62201 - top right
62202 - bottom left (standard)
62203 - bottom right (standard)



62211




53452




54449



60.204035



54513



53453



54532



54537



54538



54539



24078
M-Crush Manual pill Crusher



24306
SafeCrush™ automatic medicine crusher

Computer arm

- PC support arm that can move from left to right and be positioned above or outside the work surface. The tray is also tiltable.
- The PC is secured with two clamping bars and the Dual Lock system, ensuring high resistance to pulling forces.
- Compatible with 15" to 17" PCs.



62141



CAMELEON 12
with 5 tilt bins (ref.: 50024)

Computer drawer

- Full-extension drawer with ergonomic grip handle for easy opening.
- Drawer stabilization and security ensured by an adjustment tab and Dual Lock system.
- Secured with a key different from the trolley's main lock.
- Designed for 15" to 17" laptops, available only on the 12-level version. The drawer occupies one level.



- 62150 - CAMELEON with computer drawer white
- 62151 - CAMELEON with computer drawer anis
- 62152 - CAMELEON with computer drawer blue-violet
- 62153 - CAMELEON with computer drawer plum
- 62154 - CAMELEON with computer drawer turquoise

TROLLEYS

CARE, ANESTHESIA
& EMERGENCY TROLLEYS

2 | CARE, ANESTHESIA & EMERGENCY TROLLEYS

NOVELO CARE, ANESTHESIA & EMERGENCY

NOVELO care & anesthesia



NOVELO 9 care trolley
(base 60.205000 RAL6033)
700 x 500 x H920 mm



NOVELO 10 care trolley
(base 60.205020 RAL6033)
700 x 500 x H990 mm



NOVELO 12 anesthesia trolley
(base 60.205050 RAL4006)
700 x 500 x H1090 mm



NOVELO 14 care trolley
(base 60.205052 RAL4006)
700 x 500 x H1230 mm

Additional colors available upon request
Complete color chart: page 127

RAL
1028

RAL
3001

RAL
4003

RAL
4005

RAL
4006

RAL
5002

RAL
5015

RAL
5019

RAL
6033

RAL
7035

TECHNICAL SPECIFICATIONS

- Monobloc aluminum structure, coated with epoxy paint (26 colors available).
- 6 cm polypropylene base for Novelo 9 and 10.
- 1 cm HPL base for Novelo 12 and 14.
- ABS worktop with 3 cm raised edges.
- Internal ABS slides, removable

without tools for easy cleaning.

- 125 mm diameter wheels with thread guards, soft thermoplastic rubber (TPE - elastomer) band, mounted on swivel casters with ball bearings and deep sealing. 2 wheels with brakes.
- Equipped with 2 universal rails as

standard.

- Centralized locking by key or code, to be determined.
- Delivered without joint drawer, with optional accessories for a customized configuration.
- Made in France.
- Warranty: 2 years.

NOVELO emergency

Additional colors available upon request
Complete color chart: page 127

RAL
3001
RAL
3018
RAL
3020




NOVELO 10 emergency trolley
(base 60.205020 RAL3001)
700 x 500 x H990 mm

TECHNICAL SPECIFICATIONS

- Monobloc aluminum structure, coated with epoxy paint (26 colors available).
- 6 cm polypropylene base for Novelo 9 and 10.
- 1 cm HPL base for Novelo 12 and 14.
- ABS worktop with 3 cm raised edges.
- Internal ABS slides, removable without tools for easy cleaning.
- 125 mm diameter wheels with thread guards, soft thermoplastic rubber (TPE - elastomer) band, mounted on swivel casters with ball bearings and deep sealing. 2 wheels with brakes.
- Equipped with 2 universal rails as standard.
- Seal locking system (seal not included). Delivered without joint drawer, with optional accessories for a customized configuration.
- Made in France.
- Warranty: 2 years.




60.204076 + 63055



60.204055



60.204004



60.204025



60.204060

TROLLEYS

CARE, ANESTHESIA
& EMERGENCY TROLLEYS

NOVELO dialysis

TECHNICAL SPECIFICATIONS

- Monobloc aluminum structure, coated with epoxy paint (26 colors available).
- 1 cm HPL base.
- ABS worktop with 3 cm raised edges.
- 4 joint drawers of 135 mm, mounted on telescopic slides for 4 stations.
- 125 mm diameter wheels with thread guards, soft thermoplastic rubber (TPE - elastomer) band, mounted on swivel casters with ball bearings and deep sealing. 2 wheels with brakes.
- Equipped with 2 universal rails and a push handle as standard.
- Locking system and accessories optional.
- Made in France.
- Dimensions: 700 x 500 x H1090 mm.
- Warranty: 2 years.



Additional colors available upon request
Complete color chart: page 127

RAL 1028

RAL 3001

RAL 4003

RAL 4005

RAL 4006

RAL 5002

RAL 5015

RAL 5019

RAL 6033

RAL 7035

60.201027 RAL3001 - NOVELO dialysis
700 x 500 x H1090 mm

NOVELO maternity

Additional colors available upon request
Complete color chart: page 127

RAL 1028

RAL 3001

RAL 4003

RAL 4005

RAL 4006

RAL 5002

RAL 5015

RAL 5019

RAL 6033

RAL 7035



60.205062 RAL4006 - Maternity trolley
700 x 500 x H920 mm

TECHNICAL SPECIFICATIONS

- Monobloc aluminum structure, coated with epoxy paint (26 colors available).
- 6 cm polypropylene base.
- Resin changing table, useful dimensions: 480 x 700 mm.
- Internal ABS slides, removable without tools for easy cleaning.
- Capacity: 9 levels.
- 125 mm diameter wheels with thread guards, soft thermoplastic rubber (TPE - elastomer) band, mounted on swivel casters with ball bearings and deep sealing. 2 wheels with brakes.
- Delivered empty, without joint drawer, with optional accessories for a customized configuration.
- Made in France.
- Dimensions: 700 x 500 x H920 mm.
- Warranty: 2 years.

NOVELO service trolley



60.203039 RAL4006
9-slide service trolley

TECHNICAL SPECIFICATIONS

- Aluminum structure with epoxy paint coating (26 colors available).
- ABS worktop with 3-sided edges.
- 1 cm HPL base.
- ABS slide system with 9 levels.
- 100 mm diameter wheels, 2 with brakes.
- Equipped with 2 accessory rails.
- Dimensions: 700 x 500 x H970 mm.

NOVELO service trolley

TECHNICAL SPECIFICATIONS

- Welded tubular frame, epoxy coating.
- ABS worktop with 3-sided edges.
- 6 mm HPL base.
- ABS slides, 3 levels to accommodate joint drawers or 600 x 400 ABS baskets.
- 100 mm diameter wheels, 2 with brakes.
- Delivered empty, without rails or other accessories.
- Dimensions: 700 x 500 x H970 mm.



60.203042
Bare service trolley

Equipped isolation trolley



60.809046
Equipped isolation trolley

TECHNICAL SPECIFICATIONS

- Fully welded mobile tubular structure.
- 4 wheels with non-marking band, 100 mm diameter, 2 with brakes.
- Equipped with: 1 shelf, 2 bins, 1 bi-hook, 1 hand sanitizer holder, and 1 bin holder.
- Dimensions: 700 x 500 x H1800 mm.

COMPONENTS



60.401010
Drawer H65 mm



60.401020
Drawer H135 mm



60.401030
Drawer H205 mm



60.401015
Drawer H65 mm



60.401025
Drawer H135 mm



60.401035
Drawer H205 mm



Complete list of
components
see p. 88



60.402025
1/6 kit for 65 mm drawer



60.402015
1/4 kit for 65 mm drawer



60.402045
1/6 kit for 135 mm drawer



60.402035
1/4 kit for 135 mm drawer

NOVELO CARE & EMERGENCY ACCESSORIES




60.204075




60.204079



60.204090 – right
60.204091 – left



60.204050 – right
60.204051 – left




60.204073 – bottom left
60.204074 – bottom right



60.204015
36 x 13 x 9 cm



60.204019
40 x 21 x 21 cm




60.204017
43 x 26 x 12 cm

10-litre garbage can



54537

Wired bag holder




60.204020

Needle collector holder and jar



60.204035
15 x 15 x 28 cm

SHA holder and bottle holder



60.204024
10 x 10 x 8 / 12 cm

Glove box holder



60.204023
14,5 x 8,5 x 16 cm

Gantry 1 shelf and 1 rail




60.204000

Gantry 1 shelf and 5 bins



60.204006

Gantry 2x5 bins



60.204005

Probe holder



60.204030

Articulated arm for PC




60.204046 – right
60.204047 – left

Rotating arm for PC




60.204045 – right
60.204044 – left

2-rail gantry



60.204010

Universal VESA computer gantry



60.204086



60.204008 – BASC 6
Ext. dim. block : 600 x 91 x H113 mm



60.204007 – BASC 5
Ext. dim. block : 600 x 133 x H164 mm



60.204003 – BASC 4
Ext. dim. block : 600 x 168 x H207 mm



60.204002 – BASC 3
Ext. dim. block : 600 x 197 x H240 mm

TROLLEYS

CARE, ANESTHESIA
& EMERGENCY TROLLEYS

MDOSE CARE & EMERGENCY TROLLEYS

5-drawer care trolleys



63003
Equipped blue care cart

TECHNICAL SPECIFICATIONS

- Aluminum composite exterior cladding.
- Aluminium profiles.
- Aluminum drawers on 100% pull-out guides.
- ABS worktop with rim on four sides.
- ABS push handle.
- Double Ø100 mm wheels, 2 of which have antistatic brakes.
- Standard equipment :
1 wire basket, 1 needle box holder, 1 glove box holder, 1 sliding shelf, 1 central key lock, 2 waste garbage cans, 3 sets of polycarbonate drawer dividers.
- Colors: Blue and lavender.
- Dimensions: 650 x 480 x H960 mm.
- Warranty: 1 year.



63002
Lavender care cart



Drawers on telescopic runners



Central locking (2 keys)



Zinc alloy handles



ABS worktop with 4-sided edge



Double wheels diameter 100 mm
2 with brakes and 2 antistatic

2-drawer care trolleys



63005
Lavender care cart

TECHNICAL SPECIFICATIONS

- Aluminum composite exterior cladding.
- Aluminium profiles.
- Aluminum drawers on 100% pull-out guides.
- ABS worktop with rim on four sides.
- ABS push handle.
- Double Ø100 mm wheels, 2 with brakes and 2 antistatic.
- Standard equipment :
1 wire basket, 1 needle box holder, 1 sliding shelf, 1 central key lock, 2 waste garbage cans, 2 sets of polycarbonate drawer dividers.
- Colors: Blue and lavender.
- Dimensions: 650 x 480 x H870 mm.
- Warranty: 1 year.



63004
Equipped blue care cart



Wire basket and needle collector holder




Pull-out shelf, double garbage can and central lock



ABS handle



Wire basket and needle collector holder



Set of dividers on first 3 drawers

TROLLEYS

CARE, ANESTHESIA
& EMERGENCY TROLLEYS

Anesthesia trolley



TECHNICAL SPECIFICATIONS

- Exterior covering in composite aluminum.
- Aluminum profiles.
- Aluminum drawers on 100% extension slides.
- ABS worktop with a four-sided edge.
- ABS push handle.
- Double wheels Ø100 mm, including 2 with brakes and antistatic.
- Color: Azure blue.
- Standard equipment:
 - 2 rows of tilting bins, 1 wire basket, 1 needle box holder, 1 glove box holder, 1 sliding shelf, 1 central key lock, 2 trash bins, 3 sets of polycarbonate drawer dividers.
- Dimensions: 650 x 480 x H960 mm.
- Warranty: 1 year.

5-drawer emergency trolley



TECHNICAL SPECIFICATIONS

- Exterior cladding in composite aluminum.
- Aluminum profiles.
- Drawers in aluminum on 100% extension slides.
- Work surface in ABS with a 4-sided edge.
- ABS push handle.
- Double wheels Ø100 mm, including 2 with brake and 2 anti-static.
- Color: Red.
- Standard equipment:
1 wire basket, 1 needle box holder, 1 oxygen holder, 1 probe holder, 1 cardiac massage board, 1 sliding shelf, 1 defibrillator holder, 2 trash bins, 3 sets of polycarbonate drawer dividers, 1 manual lock with 50 seals.
- Dimensions: 650 x 480 x H960 mm.
- Warranty: 1 year.

TROLLEYS

CARE, ANESTHESIA
& EMERGENCY TROLLEYS

INSAUSTI TROLLEYS 480 X 480



61.Q106W6CO - Care

TECHNICAL SPECIFICATIONS

- Stainless steel structure AISI 304, thickness 12/10th.
- Work surface in polyethylene with a 4-sided edge.
- Polypropylene drawers of 382 x 382 mm interior, mounted on telescopic slides with a maximum load of 20 kg per drawer.
- Drawer extension at 110% with retention system.
- Double wheels Ø100 mm for multifunction trolley or Ø125 mm for care and emergency trolley, including 2 with brake and 2 anti-static.
- Push handle for care and emergency trolley.
- Numerous accessories available.
- Dimensions:
 - 480 x 480 x H980 / 1018 mm for Ø100 mm wheels
 - 480 x 480 x H1005 / 1043 mm for Ø125 mm wheels
- Warranty: 5 years.



61.Q092W(6)CP - Multifunction



61.Q260 R - Emergency



61.Q024 W - Multifunction

TROLLEYS

CARE, ANESTHESIA
& EMERGENCY TROLLEYS

INSAUSTI TROLLEYS 640 X 480



61.1606 B - Care

TECHNICAL SPECIFICATIONS

- Stainless steel structure AISI 304, thickness 12/10th.
- Work surface in polyethylene, with a 4-sided edge.
- Drawers with 600 x 400 basket support.
- Polyethylene front, mounted on telescopic slides with a maximum load of 20 kg per drawer.
- Drawer extension at 110% with retention system.
- Double wheels Ø125 mm, including 2 with brake and 2 anti-static for the care and emergency model.
- Double wheels Ø100 mm, including 2 with brake and 2 anti-static for the anesthesia model.
- Numerous accessories available.
- Dimensions:
640 x 480 x H980 / 1018 mm for the anesthesia model.
640 x 480 x H1005 / 1043 mm for the care and emergency model.
- Warranty: 5 years.



61.1280 R - Emergency



61.1296 R - Emergency



61.1638 - Care



61.3684 B - Anesthesia

3 | MEDICAL TROLLEYS

ECO STAINLESS STEEL TROLLEYS

TECHNICAL SPECIFICATIONS

- Monobloc construction in AISI 304L stainless steel, 18/10th, welded under argon.
- Base with Ø25 mm tube.
- Smooth trays with rolled edges, 600 x 400 mm.
- Embossed trays, 800 x 500 mm. Satin finish, rounded corners.
- Top tray at 900 mm above the ground.
- 4 swivel wheels Ø125 mm.
- 4 corner bumpers.
- 2 brakes.



CH80270
3 trays - 800 x 500



CH80249
2 trays - 600 x 400



CH80549
2 trays - 600 x 400
with galleries



CH80279
3 trays - 600 x 400



CH80579
3 trays - 600 x 400
with galleries



CH80240
2 trays - 800 x 500



CH80540
2 trays - 800 x 500 with galleries



CH80570
3 trays - 800 x 500 with galleries

MDOSE STAINLESS STEEL TROLLEYS

TECHNICAL SPECIFICATIONS

- Structure and trays in 18/10th stainless steel, welded under argon.
- Curved frame in Ø25 mm polished tube.
- Trays with rolled edges, noise-insulated smooth edges.
- Ø100 mm ABS wheels with bumpers.
- Available in 2 or 3 tray versions.
- Made in France.
- Warranty: 2 years.

Stainless steel service trolleys without handles



60.801020
2 trays 600 x 400

60.801021
2 trays 750 x 500



60.801022
3 trays 600 x 400

60.801023
3 trays 750 x 500



60.801020G
600 x 400 with galleries on 2 trays

60.801021G
750 x 500 with galleries on 2 trays



60.801022G
600 x 400 with galleries on 3 trays

60.801023G
750 x 500 with galleries on 3 trays

Stainless steel service trolleys with handles



60.801010
2 trays 600 x 400

60.801012
2 trays 750 x 500



60.801026
3 trays 600 x 400

60.801028
3 trays 750 x 500



60.801010G
600 x 400 with galleries on 2 trays

60.801012G
750 x 500 with galleries on 2 trays



60.801026G
600 x 400 with galleries on 3 trays

60.801028G
750 x 500 with galleries on 3 trays

COLORED STAINLESS STEEL TROLLEYS

TECHNICAL SPECIFICATIONS

- Structure in welded 18/10 stainless steel under argon.
- Curved frame in Ø25 mm shiny tube.
- Smooth composite resin tray in color.
- Push handle.
- Ø100 mm ABS wheels with bumpers.
- Available in 2 or 3 tray versions.
- Made in France.
- Warranty: 2 years.



60.801030 + 60.8021
Batik blue color



60.801034G + 60.8019
Morello cherry color

	Reference	Description	Dimensions
2 trays	60.801030	Stainless steel guéridon with 2 resin trays in color and handle	600 x 400 mm
	60.801030G	Stainless steel guéridon with gallery on both resin trays in color and handle	600 x 400 mm
	60.801032	Stainless steel guéridon with 2 resin trays in color and handle	750 x 500 mm
	60.801032G	Stainless steel guéridon with gallery on both resin trays in color and handle	750 x 500 mm
3 trays	60.801034	Stainless steel guéridon with 3 resin trays in color and handle	600 x 400 mm
	60.801034G	Stainless steel guéridon with gallery on all 3 resin trays in color and handle	600 x 400 mm
	60.801036	Stainless steel guéridon with 3 resin trays in color and handle	750 x 500 mm
	60.801036G	Stainless steel guéridon with gallery on all 3 resin trays in color and handle	750 x 500 mm

Colors

60.8011 White	60.8012 Grey	60.8016 Yellow	60.8017 Orange	60.8018 Red	60.8019 Morello cherry	60.8020 Paradise green	60.8021 Batik blue	60.8022 Petroleum blue
------------------	-----------------	-------------------	-------------------	----------------	---------------------------	---------------------------	-----------------------	---------------------------

RESIN TRAY TROLLEYS

TECHNICAL SPECIFICATIONS

- Stainless steel structure 18/10.
- Smooth composite resin tray with handle.
- Frame in Ø30 mm shiny tube.
- Ø100 mm ABS wheels with bumpers.
- Available in 2 or 3 tray version.
- Made in France.
- Warranty: 2 years.



60.801038 + 60.8017
Orange color



60.801039G + 60.8020
Paradise green color

	Reference	Description	Dimensions
2 trays	60.801038	Service trolley with 2 resin-colored trays and handle	650 x 450 mm
	60.801038G	Service trolley with gallery on 2 resin-colored trays and handle	650 x 450 mm
	60.801040	Service trolley with 2 resin-colored trays and handle	750 x 550 mm
	60.801040G	Service trolley with gallery on 2 resin-colored trays and handle	750 x 550 mm
3 trays	60.801039	Service trolley with 3 resin-colored trays and handle	650 x 450 mm
	60.801039G	Service trolley with gallery on 3 resin-colored trays and handle	650 x 450 mm
	60.801042	Service trolley with 3 resin-colored trays and handle	750 x 550 mm
	60.801042G	Service trolley with gallery on 3 resin-colored trays and handle	750 x 550 mm


Colors

60.8011 White	60.8012 Grey	60.8016 Yellow	60.8017 Orange	60.8018 Red	60.8019 Morello cherry	60.8020 Paradise green	60.8021 Batik blue	60.8022 Petroleum blue
------------------	-----------------	-------------------	-------------------	----------------	---------------------------	---------------------------	-----------------------	---------------------------


ACCESSORIES AND OPTIONS FOR MDOSE STAINLESS STEEL AND RESIN TROLLEYS




60.800031
2-wheel brake



60.800003
20L swivel bag holder



60.800004
Double bag holder 2x20L



60.800015
Wire basket 100L



60.800016
40L Plastic Garbage Can on Rail



60.800005
Needle container holder



60.800008
Stainless steel wire basket
280 x 130 x H140 mm



60.800009
Stainless steel glove box holder
with vice



Stainless steel tray for stainless steel trolley / Colored stainless steel

60.800011 – Inox 300 x 380 mm / 600 x 400
60.800012 – Inox 350 x 450 mm / 750 x 500




Tray for resin trolley

60.800013 – Resin 285 x 410 mm / 650 x 450
60.800014 – Resin 285 x 455 mm / 750 x 550



Antistatic wheels / brakes

60.800032 – 4 antistatic
60.800033 – 2 antistatic / 2 with brakes



Removable bottle holder guide

60.800017 – for trolley 600 x 400 - 6 compartments
60.800018 – for trolley 750 x 500 - 7 compartments



60.800010
SHA support



Stainless steel drawer /
Colored stainless steel H8 cm
540 x 360 x H80 mm

60.800019 – for inox trolley 600 x 400
60.800020 – for colored inox trolley 600 x 400
60.800021 – for inox trolley 750 x 500
60.800022 – for colored inox trolley 750 x 500



Stainless steel drawer /
Colored stainless steel H18 cm
540 x 360 x H180 mm

60.800023 – for inox trolley 600 x 400
60.800024 – for colored inox trolley 600 x 400
60.800025 – for inox trolley 750 x 500
60.800026 – for colored inox trolley 750 x 500



2 Half-drawers stainless steel /
Colored stainless steel H8 cm
240 x 360 x H80 mm

60.800027 – for inox trolley 600 x 400
60.800028 – for colored inox trolley 600 x 400
60.800029 – for inox trolley 750 x 500
60.800030 – for colored inox trolley 750 x 500

ABS TROLLEYS 600 × 400



65101 – Mdose trolley 2 shelves (without accessories)



65102 – Mdose trolley 3 shelves (without accessories)

Options

Universal Aluminum Rail	65111
Set of 4 Bumpers	65114
Support Frame	65112
Wheels Ø125 mm, including 2 with brakes	65113

TECHNICAL SPECIFICATIONS

- Aluminum Tube Post Ø39 mm.
- Available in 2 or 3 trays, made from reinforced ABS with 4 rounded edges.
- Integrated push handle on 2 sides of the top tray.
- Usable height between trays for 2 levels: 733 mm.
- Usable height between trays for 3 levels: 370 mm.
- Swivel wheels Ø100 mm, including 2 with brakes, without bumpers (optional).
- Silent wheels with non-marking tread.
- Load capacity per tray: 80 kg, maximum load per guéridon: 180 kg.
- Color: Light grey RAL 9002.
- Overall dimensions:
 - 2 tray version: 814 x 450 x H970 mm
 - 3 tray version: 814 x 450 x H1040 mm
- Delivered unassembled (easy to assemble) and individually.
- Options: universal rail, support frame, set of 4 bumpers, set of 4 wheels Ø125 mm, including 2 with brakes.
- Warranty: 5 years.

MULTI-PURPOSE TROLLEYS

As their name suggests, this range of trolleys is designed to meet all types of needs, regardless of the department. Manufactured with the utmost care, these trolleys are distinguished by their lightness, durability, and cost-effectiveness.

Multi-purpose trolleys in polypropylene

TECHNICAL SPECIFICATIONS

- Structure: Aluminum.
- Trays: High-density polypropylene (15 mm), reinforced with fiberglass.
- Wheels: Swivel wheels Ø100 mm mounted on ball bearings, ensuring silent movement.
- Maximum Load: 250 kg per trolley, 80 kg per shelf.
- Color: Light grey or black.
- Dimensions: 850 x 480 mm or 1100 x 520 mm.
- Delivered Unassembled asy assembly.



Multi-purpose trolleys in stainless steel

TECHNICAL SPECIFICATIONS

- Material: Stainless steel AISI 201.
- Lightweight: Excellent maneuverability.
- Tube thickness: 0.7 mm.
- Push handles: 2 handles.
- Wheels: 4 swivel wheels Ø100 mm, including 2 with brakes.
- Shelves: Equipped with thermoplastic soundproofing plates.
- Load capacity: 50 kg.
- Delivered in kit form – Easy to assemble.



Ref.	Ext. dim. (mm)	Models		
		No. of trays	Tray dim. (mm)	Distance between trays (mm)
RST2C	710 x 410 x 810	2	675 x 380	470
RST3C	710 x 410 x 810	3	675 x 380	220
RST2A	850 x 540 x 940	2	842 x 521	560
RST3A	850 x 540 x 940	3	842 x 521	270

IV STANDS

Infusion stand with polyamide base

TECHNICAL SPECIFICATIONS

- Base: 5 branches made of polyamide.
- Post: Stainless steel 18/10, Ø30 mm, height 100 cm.
- Stem: Stainless steel 18/10, Ø16 mm.
- Configuration: 2 or 4 stainless steel hooks, safety or U type.
- Weight per Hook: 4 kg.
- Wheels: Polyamide, Ø50 mm.
- Max Height: 200 cm.
- Base Spread: 53 cm.
- Manufactured in France.
- Warranty: 2 years.

Model	Reference
2 U hooks	53912
2 safety hooks	53913
4 U hooks	53914
4 safety hooks	53916
Weighted base 2 U hooks	53917
Weighted base 2 safety hooks	53918
Weighted base 4 U hooks	53919
Weighted base 4 safety hooks	53920



Infusion stand with stainless steel base

TECHNICAL SPECIFICATIONS

- Base: 5 branches made of stainless steel 18/10.
- Post: Stainless steel 18/10, Ø30 mm, height 100 cm.
- Stem: Stainless steel 18/10, Ø16 mm.
- Configuration: 2 or 4 stainless steel hooks, safety or U type.
- Weight per Hook: 4 kg.
- Wheels: Polyamide, Ø50 mm.
- Max Height: 200 cm.
- Base Spread: 56 cm.
- Manufactured in France.
- Warranty: 2 years.

Model	Reference
2 U hooks	53901
2 safety hooks	53903
4 U hooks	53902
4 safety hooks	53904
Weighted base 2 U hooks	53905
Weighted base 2 safety hooks	53906
Weighted base 4 U hooks	53908
Weighted base 4 safety hooks	53907





Infusion stand with colored base

TECHNICAL SPECIFICATIONS

- Base: Star-shaped, concave, weighted.
- Post: Stainless steel 18/10, Ø30 mm, height 100 cm.
- Stem: Stainless steel 18/10, Ø16 mm.
- Weight per Hook: 4 kg.
- Configuration: 2 or 4 stainless steel hooks, safety or U type.
- Wheels: Ø50 mm.
- Max Height: 200 cm.
- Base Spread: 48 cm.
- Manufactured in France.
- Warranty: 2 years.

Model	Reference
2 U hooks	53945
2 safety hooks	53944
4 U hooks	53947
4 safety hooks	53946

Colors

60.8011 White	60.8012 Grey	60.8016 Yellow	60.8017 Orange	60.8018 Red
60.8019 Morello cherry	60.8020 Paradise green	60.8021 Batik blue	60.8022 Petroleum blue	

Economic Infusion Stand

TECHNICAL SPECIFICATIONS

- Base: 5 branches made of polyamide.
- Post: Stainless steel 18/10, Ø25 mm, height 100 cm.
- Stem: Stainless steel 18/10, Ø16 mm.
- Configuration: 2 or 4 hooks in stainless steel or polyamide, safety or U type.
- Wheels: Polyamide, Ø50 mm.
- Max Height: 200 cm.
- Base Spread: 53 cm.
- Accessories Not Compatible.
- Manufactured in France.
- Warranty: 2 years.

Model	Reference
2 safety polyamide hooks	53931
2 U polyamide hooks	53932
2 safety stainless steel hooks	53933
2 U stainless steel hooks	53934
4 safety polyamide hooks	53935
4 U polyamide hooks	53936
4 safety stainless steel hooks	53937
4 U stainless steel hooks	53938





Infusion stand with stainless steel base

TECHNICAL SPECIFICATIONS

- Base: 5 extended branches in stainless steel 18/10.
- Post: Stainless steel 18/10, Ø30 mm, height 150 cm.
- Stem: Stainless steel 18/10, Ø16 mm.
- Configuration: 2 or 4 stainless steel hooks, safety or U type.
- Weight per Hook: 4 kg.
- Wheels: ABS, Ø50 mm.
- Max Height: 240 cm.
- Stability: 3 legs at 28.5 cm and 2 extended legs at 36.7 cm for greater stability.
- Manufactured in France.
- Warranty: 2 years.

Model	Reference
2 safety polyamide hooks	53953
2 U polyamide hooks	53952
2 safety stainless steel hooks	53957
2 U stainless steel hooks	53956
4 safety polyamide hooks	53955
4 U polyamide hooks	53954
4 safety stainless steel hooks	53959
4 U stainless steel hooks	53958

Color coated sleeves

TECHNICAL SPECIFICATIONS

- Coating: Epoxy paint for Ø30 mm posts.
- Fits: Polyamide or stainless steel posts.
- Note: Stainless steel accessories are not compatible.
- Manufactured in France.

Model	Reference
White sleeve	53962
Gray sleeve	53963
Yellow sleeve	53964
Orange sleeve	53965
Red sleeve	53966
Cherry sleeve	53967
Paradis green sleeve	53968
Batik Blue sleeve	53969
Petrol Blue sleeve	53970

Colors

60.8011 White	60.8012 Grey	60.8016 Yellow	60.8017 Orange	60.8018 Red
60.8019 Morelocherry	60.8020 Paradisegreen	60.8021 Batik blue	60.8022 Petroleumblue	



ACCESSORIES FOR IV STANDS

Not compatible with economy infusion stands and colored sheaths.



53971
Square stainless steel tray
330 x 330 mm



53972
Round stainless steel tray
Ø360 mm



53973
Stainless steel handle
220 x 160 mm



53974
Stainless steel basket on feet
280 x 130 x H140 mm



53977
Double stainless steel basket
280 x 130 x H140 mm x2



Stainless steel urinary bag holder
53975 – single hook
53976 – double hook



53904 + 53976
Serum stand with
stainless steel base and
4 safety hooks



53913 + 53977
Stainless steel serum
stand with polyamide
base, 2 safety hooks and
double stainless steel
basket



53944 + 53971
Color serum stand with 2
safety hooks and square
stainless steel tray



53934
Economical serum stand
with 2 U hooks



53944 + 53973
Serum stand, color base
with 2 safety hooks and
stainless steel handle




53932
Economical serum
feet with base and 2
polyamide hooks

4 | IT TROLLEYS

A range of ergonomic carts for computerized mobility of nursing staff.

NOVELO PANEL PC/COMPUTERIZED TROLLEY



TECHNICAL SPECIFICATIONS

- Structure in monobloc aluminum coated with an epoxy paint finish (26 colors to choose from).
- Base of 6 cm in polypropylene for Novelo 9 and 10 models.
- Base in 1 cm HPL for Novelo 12 and 14 models.
- ABS worktop with 3 cm raised edges.
- Internal ABS rails that can be removed without tools for cleaning.
- 125 mm diameter wheels with wire protection, soft thermoplastic elastomer (TPE) non-marking rubber band, mounted on pivot with ball bearings and deep sealing. 2 brakes.
- Standardly equipped with 2 universal rails.
- Central locking via key or code to be determined.
- Delivered without a joining drawer and with optional accessories for custom configuration.
- Made in France.
- 2-year warranty.

COMPONENTS



60.401010
Drawer H65 mm



60.401020
Drawer H135 mm



60.401030
Drawer H205 mm



60.402025
1/6 kit for 65 mm drawer



60.402015
1/4 kit for 65 mm drawer



60.402045
1/6 kit for 135 mm drawer



60.402035
1/4 kit for 135 mm drawer

ACCESSORIES



60.204075



60.204079



60.204090 - right
60.204091 - left



60.204050 - right
60.204051 - left



60.204073 - bottom left
60.204074 - bottom right



54537



60.204020



60.204035
15 x 15 x 28 cm




60.204024
10 x 10 x 8 / 12 cm




60.204023
14,5 x 8,5 x 16 cm



60.204015
36 x 13 x 9 cm



60.204019
40 x 21 x 21 cm



60.204017
43 x 26 x 12 cm

LAPTOP TROLLEY WITHOUT BATTERY

JUNO series



TECHNICAL SPECIFICATIONS

- Structure in aluminum with a powder-coated finish. Smooth melamine worktop with rounded edges, dimensions 530 x 580 mm.
- Integrated handle for easy movement.
- Worktop height adjustable between 825 and 1220 mm.
- Wide base for increased stability and easy maneuverability.
- Four double 70 mm diameter wheels, with two front brakes.
- Weight: 12.5 kg.
- Multiple accessories available.
- Delivered unassembled, easy to assemble.
- 5-year warranty.

2 basic configurations



JUNO BS with 1 rear security box
70.JUNO.01.1100.EU



JUNO PCB - Laptop on arm with secure back box
70.JUNO.01.3200.EU

Configuration with drawers



JUNO TS
1 drawer 422 x 66 x H76 mm with electronic lock - front opening
(compatible with all accessories except additional front basket and shelf)



JUNO TM

Single ABS drawer 405 x 290 x H76 mm - left side opening - work surface adjustable between 700 and 990 mm
(compatible with all accessories except additional front basket and double shelf)



JUNO TL

Single ABS drawer, height 405 x 290 x H150 mm - left side opening - work surface adjustable between 700 and 990 mm
(compatible with all accessories except additional front basket and double shelf)



JUNO 5TS

4 drawers H76 mm and 1 drawer H150 mm in ABS - electronically secured - front opening - worktop adjustable from 876 to 1274 mm.
(compatible with all accessories except additional front basket and shelf).

ACCESSORIES



Single shelf, left or right
70.PH.WS.300.WO



Front basket on column under worktop
70.PH.WB.101.WO



Rear basket on column under worktop
70.PH.WB.102.WO



Front wire basket
70.PH.WB.103.WO



Support for barcode reader on right and left sides
70.PH.SH.401.WO



Right-side hydroalcoholic gel holder
70.PH.GH.601.WO

PC/MONITOR TROLLEYS WITH OR WITHOUT BATTERY

A truly mobile, ergonomic workstation.

MDLS trolley without integrated battery, with or without keyboard support

TECHNICAL SPECIFICATIONS

- Structure in aluminum with a powder-coated finish.
- Smooth melamine worktop with rounded edges, dimensions 619 x 613 mm.
- Worktop height adjustable between 899 and 1345 mm.
- Four double 70 mm diameter wheels, with two front brakes.
- Weight without options: 12.5 kg.
- 5-year warranty.



MDLS SC
Trolley for panel PC with fixed arm and removable keyboard support

- Smooth melamine worktop, highly durable and featuring a handle for easy mobility.
- Large working surface (619 x 613 mm) with two handles for even greater ease of movement.
- Easily adjustable work height with a gas spring, allowing adjustment between 899 and 1345 mm.
- Wide base (555 x 674 mm) to prevent wheel contact and ensure optimal stability.
- Available:
 - With or without a retractable keyboard tray.
 - With or without a CPU holder.
- 5-year warranty.



MDLS
Trolley for panel PC fixed arm



Trolley for panel PC with fixed arm, removable keyboard support and CPU case



MDLS SC1T
MDLS 1 keyboard tray and 1 drawer



MDLS SC2T
MDLS 1 keyboard tray and 2 drawers




MDLS SC3T
MDLS 1 keyboard tray and 3 drawers



MDLS SC3T2
MDLS 1 keyboard tray and 3 drawers

NOVA trolley with integrated 256 or 512 Wh battery



TECHNICAL SPECIFICATIONS

- Aluminum structure with a powder-coated finish.
- Smooth melamine worktop with rounded edges, dimensions: 615 x 694 mm.
- Adjustable work height from 903 to 1349 mm.
- Battery compliant with EN 60601 standard, available in 256 Wh or 512 Wh.
- Charging time: 3 hours.
- 4 double wheels (Ø70 mm), with 2 front brakes.
- Weight without options: 57 kg.
- Warranty: 5 years – Batteries: 5 years.

NOVA 256 SC / NOVA 512 SC



NOVA 256/512
3 drawers



NOVA 256/512
4 A4 drawers



NOVA 256/512
4 A3 drawers

NANO trolley with integrated 256 or 512 Wh battery



NANO

TECHNICAL SPECIFICATIONS

- Aluminum structure with a powder-coated finish.
- Smooth melamine worktop with rounded edges, dimensions: 530 x 590 mm.
- Adjustable work height from 903 to 1349 mm.
- Battery compliant with EN 60601 standard, available in 256 Wh or 512 Wh.
- Charging time: 3 hours.
- 4 double wheels (Ø70 mm), with 2 front brakes.
- Weight without options: 57 kg.
- Warranty: 5 years – Batteries: 5 years.



NANO 256 / 512
1 single drawer



NANO 256 / 512
1 drawer



NANO 256 / 512
2 drawers



NANO 256 / 512
3 drawers

5 | ROUNDING TROLLEYS

Available in the CAMELEON range, our visit carts allow all types of organization of medical files and X-rays: either in a frontal position using suspended cassettes or removable vertical dividers, or in a horizontal reading position using a full-extension file drawer.

CAMELEON ROUNDING TROLLEY



CAMELEON 12
14 standing A4s and 14 radios



CAMELEON 14
14 A4 upright and A3 4 cm



CAMELEON 16
28 A3 4 cm



62221
600 x 400 mm shelf for backrest
Max. 28 slots - 2 cm pitch



62222 - A4 divider
62223 - A3 divider



CAMELEON 14
14 A4 coated + 14 A3



CAMELEON 16
14 A4 standing and 14 A3

TECHNICAL SPECIFICATIONS

- Folded steel structure, white epoxy-painted with aluminum profile.
- Exterior cladding in polyester-lacquered composite aluminum.
- Interior cladding in ABS/PMMA –
- Available in 12, 14, or 16 levels.
- ABS worktop with 50 mm raised edges on three sides.
- Closure system with high-density polyethylene roller shutter.
- Locking mechanism: 4-digit combination lock + key or electronic lock.
- Double wheels (Ø125 mm), including 2 with brakes and 2 antistatic.
- Standard equipment: 1 foldable side shelf (right) and 3 universal rails.
- Overall dimensions & empty weight:
12 levels: 720 x 520 x H1080 mm, 24 kg
14 levels: 720 x 520 x H1215 mm, 25 kg
16 levels: 720 x 520 x H1345 mm, 26 kg
- Warranty: 2 years.

6 | LINEN TROLLEYS

The Mdose range covers the entire linen management cycle, from collecting and transporting soiled linen to distributing and transporting clean linen. The materials used offer key advantages: lightweight design, hygiene, durability, and corrosion resistance.

BAG HOLDER TROLLEYS



57200 (Bare trolley)
1-bag CHASA 30



57201 (Bare trolley)
2-bags CHASA 35



57202 (Bare trolley)
3-bags CHASA 40

Hygiene

The stainless steel holding ring, ABS base, and lids are easy to clean and replace.

Mobility

Four swivel wheels (Ø75 mm) in gray noise-reducing and anti-thread rubber provide excellent maneuverability.

Functionality

The bag is easily and quickly removed, and the foot pedal opening mechanism allows for hands-free operation, making collection more efficient.

Reliability

The aluminum structure ensures durability, while the top holding ring securely maintains the bags in place.



57204 (Bare trolley)
4 square bags: CHASA 46



57203 (Bare trolley)
4 bags in a row: CHASA 45



Couvercle CHASA 33

57210 - White
57211 - Yellow
57212 - Red
57213 - Blue
57214 - Green
57215 - Grey



Poignée de poussée CHASA 1MA

57220 - 1 bag
57221 - 2 bags
57222 - 3 bags
57223 - 4 bags
in line



57219 - Brake option (1 wheel)
57218 - Pedal (1 per cover)



5725x - 170g/m² full bag

CLAPPY® HERMETIC BAG HOLDER TROLLEY

TECHNICAL SPECIFICATIONS

- Structure in 18/10 stainless steel.
- Automatic bag closure system.
- Closure with anti-slip retainers to keep the bag in place.
- Pedal system for opening and closing the bag.
- Optional system to keep the bag open.
- 4 swivel wheels Ø75 mm, in gray, non-marking rubber, including 2 with brakes.
- 4 circular bumpers.
- Dimensions :
600 x 490 x H990 mm / 599 x 490 x H830 mm.



Hermetic bag holder
57243 – H990 mm
57242 – H830 mm



57245 – In-line bag-hanger system
57246 – Square bag-holder hooking system



57247
Laundry trolley attachment system

SINGLE OR DOUBLE STAINLESS STEEL BAG HOLDERS

TECHNICAL SPECIFICATIONS

- Available versions: single or double.
- Fully welded stainless steel structure.
- Retention system for 100 L bags.
- Ergonomic handles.
- ABS wheels Ø80 mm.
- Silent and hygienic mobility.
- Easy cleaning and disinfection.



60.801066
Single stainless steel bag holder, 100L



60.801065
Double stainless steel bag holder, 100L

LINEN TRANSPORT TROLLEYS

Made of lightweight aluminum alloy, the "CHACOL" bag and waste collection trolleys, as well as the clean laundry transport trolleys, perfectly combine lightness and durability. They are suitable for washing and disinfection in a tunnel.

Soiled linen and waste transport trolleys

TECHNICAL SPECIFICATIONS

- Structure made of lightweight alloy treated by anodic oxidation.
- Top edges folded and corner profiles in polyamide.
- Front panel foldable over 2/3 of the width.
- Double push handle on the short side.
- Drain valve included as standard.
- Wheels Ø160 mm, 2 fixed, 2 swiveling without brake.
- Bumpers in lightweight alloy (ref.: 57115/57116) or rubber (ref.: 57117/57118).
- Dimensions :
1100 x 650 x H1425 mm – 699 L – ref.: 57115/57117
1400 x 760 x H1340 mm – 987 L – ref.: 57116/57118



57118

Transport trolleys for clean linen



57124

TECHNICAL SPECIFICATIONS

- Structure made of lightweight alloy treated by anodic oxidation.
- Lower bumper made of rubber.
- Anti-twist base frame.
- 1 or 2 shelves depending on the model.
- Double push handle on the short side.
- Wheels Ø160 mm or 200 mm depending on the model, 2 fixed, 2 swiveling without brake.
- Dimensions :
1 dimension with 1 shelf - wheels Ø160 mm:
1230 x 630 x H1200 mm – 572 L – ref.: 57121
2 dimensions with 2 shelves - wheels Ø200 mm:
1230 x 630 x H1500 mm – 731 L – ref.: 57124
1230 x 630 x H1740 mm – 883 L – ref.: 57125

LINEN DISTRIBUTION TROLLEYS

NOVELO linen



60.901047 RAL1028
NOVELO linen without door
2 fixed shelves
700 x 500 x 1150 mm



60.901046 RAL1028
NOVELO linen with door, key lock,
2 shelves
700 x 500 x 1150 mm



60.901044 RAL1028
NOVELO linen without door
12 slides
700 x 500 x 1150 mm



60.901045 RAL1028
NOVELO linen with key-operated
door, 12 slides
700 x 500 x 1150 mm

Additional colors available upon request
Complete color chart: page 127

RAL
1028

RAL
3001

RAL
4003

RAL
4005

RAL
4006

RAL
5002

RAL
5015

RAL
5019

RAL
6033


RAL
7035

TECHNICAL SPECIFICATIONS

- Monobloc aluminum structure covered with epoxy paint (26 colors available).
- 6 cm polypropylene base.
- ABS worktop with raised edges of 3 cm.
- 2 possible interior configurations: either with 2 fixed shelves or with rails to hold drawer bins. Locking without or with aluminum door by key.
- 125 mm diameter wheels, wire guard, with soft thermoplastic rubber (TPE - elastomer) band, mounted on pivot with ball bearings and deep sealing. 2 brakes.
- Delivered without joining drawer and with optional accessories for a configuration based on needs. Not compatible with a code lock.
- Made in France.
- 2-year warranty.



60.204071 - top left
60.204070 - top right



60.204073 - bottom left
60.204074 - bottom right



60.204046 - right
60.204047 - left



60.204045 - right
60.204044 - left



Accessory list
see p. 47.

Lightweight linen trolley

TECHNICAL SPECIFICATIONS

- Structure made of lightweight alloy treated with anodic oxidation.
- Non-slip top tray in ABS with 80 mm raised edges.
- Swivel wheels Ø100 mm with 4 bumpers. Doors in solid laminate (HPL) in blue color optional (included on CHALIN 4000) with magnetic closure.
- Optional: Lightweight alloy drawer on telescopic slides for CHALIN 50 and 50/2, with an aluminum front.



57230 – CHALIN 50
57228 – CHALIN 50 with doors

740 x 535 x H1000 mm – 210 L
2 levels of 620 x 445 x H340 mm



57231 – CHALIN 50/2
57229 – CHALIN 50/2 with doors

740 x 535 x H1190 mm – 268 L
3 levels of 620 x 445 x H275 mm



57249
Key lock for trolley



57224 – CHALIN 50 without doors with drawer
57225 – CHALIN 50/2 without doors with drawer
57226 – CHALIN 50 with doors and drawer
57227 – CHALIN 50/2 with doors and drawer



57241 – 2-bag hook system (rear)
57240 – 1-bag hanging system (side)



57232 – CHALIN 4000
815 x 535 x H1420 mm – 390 L
3 levels, 695 x 445 x H362 mm

The nominative trolley in grey epoxy.

TECHNICAL SPECIFICATIONS

- Uprights and shelves in high-quality grey epoxy-coated steel wire..
- 4 swivel wheels Ø125 mm, including 2 with brakes and 4 bumpers.
- Label holders included.
- Delivered unassembled.

12 residents		
5 shelves	51643	910 x 460 x H1760 mm
15 residents with wardrobe		
6 shelves	51648	1220 x 460 x H1760 mm
16 residents		
5 shelves	51644	1220 x 460 x H1760 mm
20 residents		
6 shelves	51645	1220 x 460 x H1760 mm
25 residents		
6 shelves	51646	1520 x 460 x H1760 mm
30 residents		
6 shelves	51647	1830 x 460 x H1760 mm

Options

Closing rod	51640
Handle 46 cm	51641



51643
12-resident trolley



51648
15-resident trolley with wardrobe



51644
16-resident trolley



51645
20-resident trolley



51646
25-resident trolley



51647
30-resident trolley

7 | DIAPER & HYGIENE TROLLEYS



750 mm model

TECHNICAL SPECIFICATIONS

- Structure: Welded tubular epoxy frame.
- Top and bottom shelves: HPL resin, resistant to chemicals, with galleries.
- Available in 4 colors.
- Intermediate shelf: Adjustable height wire shelf with edges.
- Side grids: Epoxy wire grids for accessory hanging.
- Handles: Push handle on 2 sides.
- Wheels: Ø125 mm, with 1 wheel having a brake.
- Bumpers: 4 bumpers for the 1100 mm model.
- Accessories: Epoxy wire accessories, removable and adjustable.



1100 mm model

For 15/20 residents - dim. 750 x 585 x H1035 mm

750 Laundry trolley (empty)	Blue	53401
750 Laundry trolley (empty)	Red	53402
750 Laundry trolley (empty)	Yellow	53403
750 Laundry trolley (empty)	Violet	53404

For more than 25 residents - dim. 1110 x 520 x H1020 mm

1100 Laundry trolley (empty)	Blue	53431
1100 Laundry trolley (empty)	Red	53432
1100 Laundry trolley (empty)	Yellow	53433
1100 Laundry trolley (empty)	Violet	53434



53451
Sorting basket 630 x 513 x H305 mm



53452
Side basket 353 x 152 x H160 mm



54530
Plastic drawer 540 x 386 x H75 mm



53453
Document holder - 353 x 370 mm



53454
Separator for intermediate tray



53455
Scroller support

8 | ISO STANDARD TRANSFER TROLLEYS & CABINETS

With fully folding doors, open or secured, the range of transfer carts/wardrobes is designed for:

- Supplying the PUI (Pharmacy for Internal Use) to the care units on the upper floors.

Supplying by external transport in the case of a decentralized PUI.

The choice will depend on the intended use.

TRANSPORT TROLLEYS WITH DOORS

TECHNICAL SPECIFICATIONS

- Fully folding doors.
- Lower bumper for CHATRAN 5 and 6 models.
- Lower and upper bumpers for CHATRAN 1 and 4 models.
- 2 push handles.
- Lock + 2 keys.
- 2 fixed wheels and 2 pivoting wheels, including 2 with brakes:
 - 125 mm wheels for CHATRAN 5.
 - 160 mm wheels for CHATRAN 6.
 - 200 mm wheels for CHATRAN 1 and 4.
- Ideal for outdoor transport or truck transport.



57106 - CHATRAN 6

1400 x 600 x H1456 mm

42 plumer trays or 14 bins (600 x 400 x H100 mm)



57104 - CHATRAN 5

757 x 600 x H1704 mm

Capacity: 24 plumer trays or 8 bins
(600 x 400 x H100 mm)



57100 - CHATRAN 1

977 x 710 x H1785 mm

Capacity: 24 bins (400 x 600 x H100 mm)



57103 - CHATRAN 4

1400 x 710 x H1785 mm

Capacity: 36 bins (400 x 600 x H100 mm)

OPEN TRANSPORT TROLLEYS

TECHNICAL SPECIFICATIONS

- Aluminum frame.
- Fiberglass-reinforced nylon runners.
- 2-section cart - SYSMO2 : 915 x 655 x H1610 mm, wheels Ø160 mm.
- 1-section cart - SYSMO1 : 670 x 520 x H1385 mm, wheels Ø100 mm.




57157 - SYSMO2
Capacity 20 baskets
400 x 600 x H100 mm



57156
Capacity 10 baskets
400 x 600 x H100 mm

TRANSFER CABINETS WITH CURTAIN DOORS 600 x 400

Side-opening curtain cabinet



TECHNICAL SPECIFICATIONS

- Sheet thickness: 8/10 mm.
- Opening: Side curtains.
- Secure closure: Lock with key.
- Handles: 2 vertical push handles.
- Base: With corner protectors and 4 wheels Ø125 mm, 2 with brakes.
- Dimensions: 810 x 550 x H1760 mm.
- Ideal for indoor use.

TROLLEYS

ISO STANDARD TRANSFER TROLLEYS
& CABINETS

Transfer cabinet with vertical curtain opening - 600 x 400



Additional colors available upon request
Complete color chart: page 127

RAL 1028

RAL 3001

RAL 4003

RAL 4005

RAL 4006

RAL 5002

RAL 5015

RAL 5019

RAL 6033

RAL 7035

60.105020 RAL1028 - Transfer cabinet electronic code lock
60.105015 RAL1028 - Transfer cabinet with key lock
15 slides - 700 x 500 x H1560 mm

TECHNICAL SPECIFICATIONS

- Monobloc aluminum structure coated with epoxy paint (26 color options).
- 6 cm polypropylene base.
- 6 mm HPL resin top.
- Removable interior ABS slides for easy cleaning, 15 levels.
- Monobloc PVC curtain, removable. 125 mm diameter wheels with wire guards, soft thermoplastic elastomer (TPE) non-marking rubber coating, mounted on swivels with ball bearings and deep sealing. 2 brakes.
- Available with either an electronic code lock or a key lock version.
- Standard equipment includes a right-side handle.
- Delivered without drawer, with optional accessories for a custom configuration.
- Made in France.

TRANSFER CABINETS WITH TIGHT-FITTING DRAWERS



60.105012 RAL6033
Electronic code transfer cabinet
18 slides - 700 x 500 x H1560 mm



60.105010 RAL6033
Transfer cabinet with key
18 slides - 700 x 500 x H1560 mm



60.105014 RAL6033
Double key cabinet
36 slides - 1340 x 500 x H1600 mm



60.401010
Drawer H65 mm



60.401020
Drawer H135 mm



60.401030
Drawer H205 mm



Complete list of
components
see p. 88

Additional colors available upon request
Complete color chart: page 127



TECHNICAL SPECIFICATIONS

- Monobloc aluminum structure coated with epoxy paint (26 color options).
- 6 cm polypropylene base, and 1 cm HPL base for the double cabinet.
- 6 mm HPL resin top.
- Removable interior ABS slides for easy cleaning, 18 levels.
- Drawer centralization with either a

key or electronic code lock.

- 125 mm diameter wheels with wire guards, soft thermoplastic elastomer (TPE) non-marking rubber coating, mounted on swivels with ball bearings and deep sealing. 2 brakes.
- 6 wheels of 160 mm diameter, 2 with brakes, for the double cabinet.

- Standard equipment includes a right-side handle for the single cabinet and 2 handles for the double cabinet.
- Delivered without drawers, with optional accessories for a custom configuration.
- Made in France.
- Warranty: 2 years.





STORAGE & ORGANIZATION FURNITURE

Indispensable in the organization of departments, our storage furniture covers all needs, from the Pharmacy for Internal Use (PUI) to the care units of an establishment.

Our wide range of models will satisfy a large number of users, thanks in particular to :




1 | SLIDING DOOR & DRAWER CABINETS

Through this range, the objective is to organize and secure the storage of medications and medical devices with:

- Classic curtain cabinets
- 600 x 400 curtain cabinets
- Modular cabinets with centralized locking.

SIDE-OPENING SLIDING DOOR CABINETS



TECHNICAL SPECIFICATIONS

- Welded monobloc construction with a thickness of 8/10 mm.
- Epoxy anticorrosion coating, offering increased resistance to scratches, solvents, and chemicals.
- Oven-baked paint, lead-free, without solvents and CO2 emissions (no pollutants released into water or the atmosphere).
- Opening with 2 lateral curtains. Curtains made of M1-rated PVC slats, with flexible hinges for silent and smooth sliding.
- Individual secure locking by key (set of 2).
- Color: White - RAL 9016.
- Available in 3 widths, 4 heights, and 1 depth.
- Made in France.
- Warranty: 5 years.

Bare cabinets



Closed cabinet
side opening

Depth 43 cm (useful 37 cm)	Length 120 cm (useful 104.5 cm)	Length 100 cm (useful 84 cm)	Length 80 cm (useful 64 cm)
Cabinet Height 198 cm	55.HC125MDN	55.HC105N	55.HC085N
Cabinet Height 160 cm	55.MHC124MDN	55.MHC104N	55.MHC084N
Cabinet Height 143 cm	55.BNC124MDN	55.BNC104N	55.BNC084N
Cabinet Height 70.5 cm	55.BBC70512MDN	55.BBC70510N	-

The shelves

Adjustable in height every 25 mm by means of 4 cleats, they can accommodate suspension files at 330 mm centers. They can support up to 53 kg of suspension files and, in combination with a standing load, up to 114 kg (for a 120 cm shelf).



120 cm shelf	55.TAB12MD
100 cm shelf	55.TAB10R
80 cm shelf	55.TAB08R

Consultation plans

Mounted on high-quality ball bearing slides, they are used both for preparation and as a writing tablet.



120 cm consultation table	55.TER12MD
100 cm consultation table	55.TER10
80 cm consultation table	55.TER08

STORAGE & ORGANIZATION FURNITURE

SLIDING DOOR & DRAWER CABINETS



Telescopic bins and dividers

8 or 16 cm high, they are ideal for storing large volumes. Dividers can be used to compartmentalize bins (sold individually).

	Height 16 cm	Height 8 cm
Telescopic bin 120 x 43 cm	55.TBAC1612MD	55.TBAC0812MD
Telescopic bin 100 x 43 cm	55.TBAC1610	55.TBAC0810
Telescopic bin 80 x 43	55.TBAC1608	55.TBAC0808
Dividers	55.ITH08MD	55.ITH16MD



Occasional travel bases

These bases, with 100 mm diameter wheels (2 with brakes), enable the cabinet to be moved to facilitate floor cleaning. They raise the cabinet by 13 cm.

Base for cabinet 120x43	55.SOC120100
Base for cabinet 100x43	55.SOC100100
Base for cabinet 80x43	55.SOC080100
Base for cabinet 600x400 - 81x55	55.SOC081100

Drug safes

Made of 8/10th-thick metal, epoxy-painted in white, these toxic safes are equipped with a removable shelf and a key or code lock (optional). They are pre-drilled on the back for wall mounting and on the sides for installation inside the cabinet.



54111
Large-capacity box - 70 L - 9 kg
Holds 8 TBS A, B or C as option
Outer dimensions 595 x 358 x H326 mm
Inner dimensions 590 x 330 x H310 mm



54101
Small-capacity box - 18 L - 3.5 kg
Outside dimensions 270 x 300 x H220 mm
Inner dimensions 260 x 280 x H200 mm

The tiered stands and wall mounting kit

Made of white epoxy-painted metal, the tier allows storage on 3 levels when placed on a shelf.




54121 - Tiered stand
470 x 200 x H150 mm

The wall-mounting kit is designed to secure cabinets to the wall.



53060
Wall mounting kit

Full-service cabinets by specialty



55.A14
300D / 300E divisible bins configuration
1200 x 430 x H1980 mm



55.A15
M5000A / M5000C configuration
1200 x 430 x H1980 mm



55.A16
Multiroir M5000A / M5000C configuration
800 x 430 x H1980 mm

Service cupboards with a monthly allocation per patient and PDA



55.A3
55 residents (Multiroir M7000)
1200 x 430 x H1980 mm



55.A5
70 residents (Multiroir M5000)
1200 x 430 x H1980 mm



55.A17
45 residents (Multiroir M7000)
1200 x 430 x H1980 mm



55.A18
44 residents (Multiroir M7000)
1000 x 430 x H1980 mm



55.A19
45 residents (PDA & M5000C)
1200 x 430 x H1980 mm



55.A20
24 residents (PDA & M5000C)
800 x 430 x H1980 mm



Find all our PDA solutions in just a few clicks on :
www.mdose-pda.fr

600 x 400 SIDE-OPENING SLIDING DOOR CABINETS

TECHNICAL SPECIFICATIONS

- Welded monobloc construction with 8/10 mm thickness.
- Powder-coated finish baked at high temperature, lead-free, solvent-free, and CO² emission-free (no pollutants released into water or the atmosphere).
- Opening via two lateral curtains.
- Individual secure lock with key (set of 2).
- Internal ABS profile to accommodate 600 x 400 bins or pill trays.
- Two height options: 1980 mm or 1620 mm.
- Colors: White - RAL 9016.
- Made in France.
- Warranty: 5 years.



55.A1
with 33 pill dispenser trays



55.A2
With 27 levels
162 x 82 x 55 cm

600 x 400 VERTICAL-OPENING SLIDING DOOR CABINETS

TECHNICAL SPECIFICATIONS

- Monobloc aluminum structure coated with epoxy paint (26 color options).
- HPL base of 1 cm.
- HPL resin roof of 6 mm.
- Interior ABS slides, removable without tools for easy cleaning.
- Capacity: 18 levels.
- Centralized drawer locking by key or electronic code.
- 125 mm diameter wheels, wire guards, with soft thermoplastic elastomer (TPE) non-marking rubber bandage, mounted on pivots with ball bearings and deep sealing. 2 wheels with brakes.
- Delivered without drawers, accessories available as options for a custom configuration.
- Made in France.
- Warranty: 2 years.



60.105017 RAL5019
Lockable tambour door cabinet
700 x 500 x H 1800 mm



60.105019 RAL5019
Curtain cabinet with code lock
700 x 500 x H 1800 mm

Additional colors available upon request
Complete color chart: page 127



600 x 400 MODULAR CABINETS WITH TIGHT-FITTING DRAWERS



60.105005 RAL3001
 Key-operated modular cabinet
 700 x 500 x H1800

60.105007 RAL3001
 Modular cabinet, centralized by code
 700 x 500 x H1800

TECHNICAL SPECIFICATIONS

- Monobloc aluminum structure
Epoxy paint coating (26 color options).
- HPL base of 1 cm.
- HPL resin roof of 6 mm.
- Interior ABS slides, removable without tools for easy cleaning.
- Capacity: 22 levels.
- Centralized drawer locking by key or electronic code.
- 125 mm diameter wheels, wire guards, with soft thermoplastic elastomer (TPE) non-marking rubber bandage, mounted on pivots with ball bearings and deep sealing.
- 2 wheels with brakes.
- Delivered without drawers or accessories, for a custom configuration based on needs.
- Made in France.
- Warranty: 2 years.

ACCESSORIES



Guide handle
60.204092 - right
60.204093 - left



Telescopic shelf for all types of keyboard
60.204052



Toxic drawer
60.405010



Folding shelf
60.204050 - right
60.204051 - left



Shelf
60.407010



Shelf
60.407011

COMPONENTS



60.401010
Drawer H65 mm



60.401020
Drawer H135 mm



60.401030
Drawer H205 mm



60.401015
Drawer H65 mm



60.401025
Drawer H135 mm



60.401035
Drawer H205 mm



60.402025
1/6 kit for 65 mm drawer



60.402015
1/4 kit for 65 mm drawer



60.402045
1/6 kit for 135 mm drawer



60.402035
1/4 kit for 135 mm drawer

2 | MOBILE WORKSTATIONS

Easily fit out a treatment room, without technical constraints, while providing the modularity needed to adapt to the organization of the department.

SINGLE, DOUBLE, AND TRIPLE DRAWER UNITS



60.102010 RAL4005
9-slide mobile housing
700 x 500 x H840 mm



60.102010 + 60.204079 RAL5015
Mobile box with electronic code lock



60.102015
Mobile box with curtain closure
7 slides (optional key lock)



60.102020 RAL6033
Double 18-rail mobile worktop
1340 x 500 x H840 mm



60.102030 RAL4003
Triple 27-slide mobile worktop
2000 x 500 x H840mm

TECHNICAL SPECIFICATIONS

- Monobloc aluminum structure with epoxy paint coating (26 color options).
- HPL base of 6 mm for the single unit.
- Mecano-welded steel structure with epoxy coating for the double and triple versions.
- Work surface in 10 mm HPL.
- Interior ABS slides, removable without tools for simplified cleaning.
- Capacity: 9, 18, or 27 slides.
- Centralized drawer locking available by key or electronic code.
- 100 mm polyamide wheels, 2 with brakes.
- Delivered without drawers.
- Made in France.
- Warranty: 2 years.

Accessories



Key lock
60.204075



Code lock
60.204079



2-rail gantry 130 cm
60.204072

MOBILE WORKSTATIONS



60.302010 RAL4005
Mobile work surface
1500 x 600 x H1000 mm



60.302012 RAL4005
Worktop with 3-slide block, left
1500 x 600 x H1000 mm



60.302016 RAL4005
Worktop with 6-rail block, left
1500 x 600 x H1000 mm

TECHNICAL SPECIFICATIONS

- Steel structure with epoxy paint coating (26 color options).
- Drawer block in steel with epoxy coating.
- 100 mm diameter wheels, 2 with brakes.
- Drawer block delivered without bins.
- Made in France.
- Warranty: 2 years.

3 | MODULAR FURNITURE FOR TREATMENT ROOMS

Organize a treatment room either simply by combining elements from our modular range (worktops and cupboards), or with custom-made furniture to integrate water points and take into account the constraints of each room.

MODULAR FURNITURE



CUSTOM-MADE FURNITURE

Modular furniture allows you to optimize the storage of treatment rooms, taking into account the constraints of each room and the organization of the service: water points, lighting, direction of circulation, clean and dirty sides.



With 3D software, Mdose offers you the ability to visualize, with striking realism, the layout of your treatment room.

This tool also allows you to design a project using the plans you provide, offering you a professional service.

- 1 Synthetic workbench with integrated sink, joint-free.
- 2 Cabinet in white melamine HPL.
- 3 Front panel coating in HPL.
- 4 Interior dimensions adapted for 600 x 400 or 400 x 600.
- 5 Doors mounted on invisible hinges with dampers.
- 6 Drawers mounted on silent slides with end-of-travel dampers.

TECHNICAL SPECIFICATIONS

- Dimensions suitable for 600 x 400 and 400 x 600.
- Melamine HPL cabinet with a 19 mm thickness and waterproof for under-sink units.
- Cabinet and edges veneered with 1 mm PVC.
- Cabinet facade covered in colored HPL with 2 mm edges for resistance to shocks, scratches, and cleaning products.
- Drawers mounted on silent slides with cushioning at the end of travel, supporting up to 30 kg – stainless steel handle.
- Doors mounted on invisible hinges with a damper and 90° opening – stainless steel handle.
- Synthesis countertop of 35 mm or postformed laminate of 38 mm.

4 | DRAWER BLOCKS

Used in treatment rooms, consulting rooms or bathrooms in retirement homes, the range of drawer units offers a practical and economical solution for organizing equipment storage.



DC303BkR/C
3-drawer tower
400 x 290 x H670 mm



DC004BkR/C
4-drawer tower
400 x 290 x H670 mm



DC360BkR/C
6-drawer tower
400 x 290 x H670 mm



104461
Large 3-drawer tower
600 x 410 x H590 mm



104462
Large 4-drawer tower
600 x 410 x H890 mm

TECHNICAL SPECIFICATIONS

- Polypropylene drawer units.
- Highly transparent drawers with removable anti-drop stops.
- Multi-directional castors.
- Dimensions (L x W): 390 x 320 mm.
- Interior dimensions of drawers: 370 x 260 mm with a height of 45, 75 or 125 mm depending on model.

5 | STORAGE FURNITURE

Generally used in central pharmacy, PUI or arsenal, storage units are designed to organize the storage of drugs or medical devices by specialty. This range is organized around 3 families:

- shelving in galvanized, epoxy or chrome-plated steel wire ;
- 600 x 400 or 400 x 600 mm;
- picking stations.

SHELVING UNITS

Galvanized shelving

TECHNICAL SPECIFICATIONS

- Galvanized steel frame and shelves.
- Solid shelves with internal reinforcement.
- Shelves secured by 4 cleats, 50 mm pitch.
- Maximum load per shelf: between 130 and 150 kg.
- Maximum load per shelf: 4000 kg.
- Plastic feet and plugs at base and top of uprights.
- Delivered unassembled - easy assembly without screws or bolts.



	Ref.	Description
Modular metal shelving 1000 mm length	Starting element	BTZ2010305 Starting element 1000 x 300 mm - 5 shelves
		BTZ2010405 Starting element 1000 x 400 mm - 5 shelves
		BTZ2010505 Starting element 1000 x 500 mm - 5 shelves
		BTZ2010605 Starting element 1000 x 600 mm - 5 shelves
	Following Element	BTZ2010305S Following element 1000 x 300 mm - 5 shelves
		BTZ2010405S Following element 1000 x 400 mm - 5 shelves
		BTZ2010505S Following element 1000 x 500 mm - 5 shelves
		BTZ2010605S Following element 1000 x 600 mm - 5 shelves
	Shelf	BT02010030 Shelf 1000 x 300 mm
		BT02010040 Shelf 1000 x 400 mm
		BT02010050 Shelf 1000 x 500 mm
		BT02010060 Shelf 1000 x 600 mm

	Ref.	Description
Modular metal shelving 1250 mm length	Starting element	BTZ2012305 Starting element 1250 x 300 mm - 5 shelves
		BTZ2012405 Starting element 1250 x 400 mm - 5 shelves
		BTZ2012505 Starting element 1250 x 500 mm - 5 shelves
		BTZ2012605 Starting element 1250 x 600 mm - 5 shelves
	Following Element	BTZ2012305S Following element 1250 x 300 mm - 5 shelves
		BTZ2012405S Following element 1250 x 400 mm - 5 shelves
		BTZ2012505S Following element 1250 x 500 mm - 5 shelves
		BTZ2012605S Following element 1250 x 600 mm - 5 shelves
	Shelf	BT02012530 Shelf 1250 x 300 mm
		BT02012540 Shelf 1250 x 400 mm
		BT02012550 Shelf 1250 x 500 mm
		BT02012560 Shelf 1250 x 600 mm

STORAGE & ORGANIZATION FURNITURE

STORAGE FURNITURE

Grey epoxy shelving



Easy assembly



Shelving including 4 uprights and 4 shelves



Shelving composed of 6 uprights, 8 shelves and 8 connecting hooks

Available in AISI 304 stainless steel on request



51634 - Separator 460 x H210 mm
51635 - Separator 610 x H210 mm



51636
Individual label holder



51603
Stainless steel connecting hook

TECHNICAL SPECIFICATIONS

- Grey epoxy steel wire tubes.
- Shelf positioning in 25 mm increments.
- Feet with adjustable jacks or castors.
- Load capacity: 250 kg per linear meter per shelf.
- Can be installed in corners or back-to-back.
- Two connecting hooks per shelf are required to link two shelves side by side.
- Delivered unassembled - easy assembly.

Upright H 1600 mm	51620
Upright H 1830 mm	51621
Ø100 mm castor with brake	51266
Ø100 mm castor without brake	51265

Depth 460 mm	
Shelf width 910 mm	51622
Shelf width 1220 mm	51624
Shelf width	51626

Depth 610 mm	
Shelf width 910 mm	51628
Shelf width 1220 mm	51630
Shelf width 1520 mm	51632

WORKSTATIONS

TECHNICAL SPECIFICATIONS

- Height-adjustable.
- Epoxy-coated steel uprights.
- Laminated top.
- Maximum supported weight: 300 kg.
- Delivered unassembled.

	Type	Ref.
1	Worktop 700 x 1500 mm supplied with 2 shelves 750 x 300 mm	RA14239
	Work surface 700 x 1800 mm supplied with 2 shelves 890 x 300 mm	RA14238
2	Keyboard shelf	RA14291
3	Flat screen support	RA14292



600 x 400 OPEN STORAGE UNITS

TECHNICAL SPECIFICATIONS

- 25 mm square tube in galvanized steel, epoxy-polyester coated.
- Smooth surfaces for easy cleaning.
- Plastic slides, removable for cleaning, oblique or horizontal, supporting a basket load of up to 5 kg.
- Supplied with 4 adjustable feet.
- Option: 4 wheels, diameter 75 mm, 2 with brakes.
- Maximum storage capacity : 25 feather trays or 12 baskets 600 x 400 x 100 or 6 baskets 600 x 400 x 200 (if oblique slide, remove 1 basket).
- Starting element: 66.6 x 45.1 x H193.5 cm.
- Next element: 64.1 x 45.1 x H193.5 cm.
- Maximum load capacity per element: 40 kg.
- 1-year warranty.
- Delivered unassembled - easy assembly.



1-column fixed storage
54207



2-column mobile storage
consisting of a mobile starter element (réf. 54209)
and a mobile extension element (réf. 54210)



3-column fixed storage
consisting of a fixed starter unit (réf. 54207) and two
fixed extension units (réf. 54208)



54192 + 54193
Horizontal slides
600 x 400



54194 + 54195
Inclined slides
600 x 400



52139 - Shelf 600 x 400
52140 - Shelf with front and rear edges 600 x 400

	Ref.	Description
Starter and extension elements	54207	STO25 fixed 600 x 400 bare Starter element
	54208	STO25 fixed 600 x 400 bare EXTENSION
	54209	STO25 mobile 600 x 400 nu Starter element
	54210	STO25 mobile 600 x 400 bare EXTENSION

	Ref.	Description
Accessories for shelving	54192	Horizontal slide, right, 600 x 400
	54193	Horizontal slide, left, 600 x 400
	54194	Inclined rail, left, 600 x 400
	54195	Inclined rail, right, 600 x 400
	52139	Shelf 600 x 400
	52140	Shelf with front and rear edges 600 x 400

PICK STATIONS

TECHNICAL SPECIFICATIONS

- Epoxy-coated metal structure.
- Shelves can be fixed either horizontally or at an angle.
- Optional Ø100 mm castors for uprights 1500 mm high.
- Available in 2 heights, 2 widths and 3 depths.
- Ideal for positioning 91 mm or 183 mm wide divisible bins (see p. 94).



Picking stations 700 x H1630 mm mobile

Width 700 mm		
	Starter element H2000 mm	54606
	Next element H2000 mm	54607
	Starter element H1500 mm	54608
	Next element H1500 mm	54609
	Tilting shelf, 300 mm depth	54611
	Tilting shelf, 450 mm depth	54612
	Tilting shelf, 613 mm depth	54613

Width 920 mm		
	Starter element H2000 mm	54601
	Next element H2000 mm	54602
	Starter element H1500 mm	54603
	Next element H1500 mm	54604
	Tilting shelf, 300 mm depth	54615
	Tilting shelf, 450 mm depth	54616
	Tilting shelf, 613 mm depth	54617



Fixed picking station H2000 mm
1 starting element in 700 mm + 1 next element in 900 mm



Dialysis station with 10 boxes
(60.809035)
350 x 260 x H120 mm



60.104012
Single picking station - 5 rails

Options

1	Articulated document holder	54620
2	Articulated shelf	54619
3	Castor with brake	51266
	Castor without brake	51265

6 | TRANSPORT BINS WITH LIDS

Standard range



TECHNICAL SPECIFICATIONS

- Stackable and/or stackable transport bins.
- Optimum protection against dirt.
- Secure grip.
- Optional sealable.
- 75% space saving when empty.
- Improved ergonomics thanks to preformed handles.

Ext. dim. (mm) L x W x H	Int. dim. (mm) L x W x H			Volume (L)	Ref.
	Top	Bottom	Usable height		
300 x 200 x 190	239 x 166	219 x 141	153	5,2	AMBD3217
400 x 300 x 222	345 x 270	315 x 240	207	-	SPKM4320BLUE
400 x 300 x 264	345 x 270	310 x 240	246	-	SPKM4325BLUE
400 x 300 x 356	345 x 270	300 x 230	341	-	SPKM4336BLUE
600 x 400 x 250	540 x 367	515 x 340	232	44	BA12145
600 x 400 x 320	540 x 367	500 x 330	302	60	BA12146
600 x 400 x 365	540 x 367	500 x 325	347	68	BA12147
600 x 400 x 416	540 x 367	500 x 325	398	78	BA12148
800 x 600 x 340	742 x 561	685 x 503	278	104,8	AMBD8632
800 x 600 x 440	742 x 561	685 x 503	378	142,6	AMBD8642
Trolley 600 x 400 mm					ARO64RGU
Trolley 800 x 600 mm					ARO86GU
Yellow security seals (only compatible with BA references)					50610
Set of 500 lead seals (only compatible with AMBD references)					50476



Ideal for transporting
of the PDA



ARO64RGU – Trolley for 600 x 400 mm bins
ARO86PA – Trolley for 800 x 600 mm bins

ECO range

TECHNICAL SPECIFICATIONS

- Stackable and/or stackable transport bins.
- Optimum protection against dirt.
- Secure grip.
- Optional sealable.
- 75% space saving when empty.
- Improved ergonomics thanks to preformed handle.



Ext. dim. (mm) L x W x H	Int. dim. (mm) L x W x H	Volume (L)	Ref.
600 x 400 x 320	540 x 367 x 305	60	BA12153
600 x 400 x 365	540 x 367 x 350	68	BA12154
600 x 400 x 416	540 x 367 x 301	78	BA12155
Yellow security seals		-	50610






INTERNAL STORAGE & ACCESSORIES

This range of products draws on the original expertise and know-how of Multiroir: specialists in plastic injection-molded storage equipment.

As designers, thanks to our in-house design office, and owners of our manufacturing molds, we select the best French and European subcontractors for the quality of their work. For more than 15 years, we have been satisfying the medical world with :



1 | DRAWER BINS & COMPONENTS

MODULAR TIGHT-FITTING DRAWERS

ABS drawers with joined fronts, rounded edges and no right angles, for easy cleaning. They protect their contents from dust and light.

Equipped with end-of-travel stops, they prevent the drawer from falling open. An angle bracket at the rear enables them to be hung on standard wall rails.



60.401010
Drawer H65 mm

Overall dimensions
2 slide



60.401020
Drawer H135 mm

Overall dimensions
2 slides



60.401030
Drawer H205 mm

Overall dimensions
3 slides

DRAWERS ON TELESCOPIC RAILS



60.401015
Drawer H65 mm



60.401025
Drawer H135 mm



60.401035
Drawer H205 mm

SUBDIVISION BINS & DIVIDERS


Separator bins for all types of organization: storage, stock management and nominative dispensing.




60.402010




60.402030




60.402020



60.402040



60.403010



60.403030



60.403020




60.403040

PARTITION KITS



60.402025
1/6 kit for 65 mm drawer



60.402015
1/4 kit for 65 mm drawer




60.402045
1/6 kit for 135 mm drawer




60.402035
1/4 kit for 135 mm drawer

DIVIDERS / LABEL HOLDERS / LABEL SUPPORTS




60.402060 - H18,5 cm
60.402050 - H11 cm



60.404010



60.404020
50 units



60.408032
Pack of 10 sheets of 32 labels

NAMED BINS WITH DIVIDERS FOR SNAIL-TYPE DISTRIBUTION



60.402070
Named bin with divider



60.402075
Kit of 6 named bins for 6 or 12 residents

PILL ORGANIZERS & WEEKLY DISPENSERS



60.408015
1 pill dispenser with three compartments



9 pill dispensers / 65 mm drawer



60.408042
1 weekly organizer



2 weekly organizers
+ 1 small 1/4 bin per 65 mm drawer

CROSS DIVIDERS FOR MODULAR DRAWERS



60.401038 - 600 x H200 mm
60.401039 - 400 x H200 mm



60.401028 - 600 x H100 mm
60.401029 - 400 x H100 mm



60.401018 - 600 x H50 mm
60.401019 - 400 x H50 mm

2 | PLUMIER PILL ORGANIZERS

Essential for facilitating medication administration, this range is available in both 600 x 400 mm format for healthcare professionals and an individual format for the Home Care market.

600 x 400 PLUMIER PILL ORGANIZERS

Our pillboxes have been designed to ensure maximum hygiene and to accommodate the nominative daily preparation of sachets and tablets in the form of :

- the four dosing times of our HEB'DOSE PDA solution;
- pre-cut primary unit blisters;
- repackaged unit doses.

Pen trays are positioned in a tray measuring 600 x 400 mm, to fit most ISO NORME storage units and carts. Perfectly smooth, they ensure maximum hygiene and easy maintenance.

TECHNICAL SPECIFICATIONS*

- Heavy-duty tray in impact-resistant PS, holding 8 completely smooth daily pencil trays underneath.
- Tray with 2 integrated anti-drop stops.
- Tray dimensions: 600 x 400 mm.
- Unbreakable polypropylene pen tray.
- Inner dimensions of pen tray: 340 x 60 x H34 mm.
- External dimensions: 380 x 68 x H40 mm.
- Each box includes 1 transparent lid, 3 dividers and labels for morning, noon, evening and night. Dishwasher-safe, maximum temperature 50°C.
- 2 colors available: blue and green.
- Patient colored labels to distinguish the days of the week.



25248 – Pack of 840 labels, 7 colors
25249 – Pack of 840 white labels



25200 – Blue pen tray
25201 – Green pen tray
25222 – Blue tray only
25221 – Green tray only



25151
Tray alone for 8 pencil trays



25210 – Blue pill dispenser
Pre-cut blister pack configuration



25211 – Green pill dispenser
Heb'Dose PDA configuration



41121BV3.22
Box configuration with lid
Int. dim. : 60 x 50 x H25 mm




25161 – Dispenser box for
PDA Heb'Dose

3 | ISO STANDARD BINS & ACCESSORIES


600 x 400 BINS

TECHNICAL SPECIFICATIONS


- 600 x 400 containers are available with perforated (baskets) or solid (modules) sides and bottoms.
- They are made of ABS, resistant to temperatures up to 85°C.
- Payload per basket: 25 kg.
- Payload per module: 15 kg.
- Separable with “combs”.
- Space for anti-drop stops.



56200
ABS module 600 x 400 x H50 mm




56201
Module divider 400 x H50 mm




56202
Module divider 600 x H50 mm




56203
ABS module 600 x 400 x H100 mm




56204
Module divider 400 x H100 mm




56205
Module divider 600 x H100 mm



56206
ABS basket 600 x 400 x H100 mm



56207
Basket divider 400 x H100 mm




56208
Basket divider 600 x H100 mm



56209
ABS basket 600 x 400 x H200 mm



56210
Basket divider 400 x H200 mm




56211
Basket divider 600 x H200 mm

ACCESSORIES FOR 600 x 400 BINS



56213
White label holder 60 x 40 mm



56216
Label holder white landscape 55 x 85 mm



56217
PVC label 55 x 85 mm



56214
PVC sheet



56078 - Label holder 60 x H40 mm
56214 - PVC plate




56076
Label holder 350 x H30 mm



56215 - 25 white labels
56066 - 25 blue labels
56068 - 25 red labels



56212
Anti-drop stops



56218
T-piece for partitions



25310
Side bracket dark grey
450 x H648 mm



56220
ABS side support 400 x 600
Ext. dim. 565 x H652 mm



56219
ABS side support 600 x 400
Ext. dim. 365 x H652 mm

4 | PLASTIC DRAWERS

MULTIROIR CRISTAL DRAWERS



11101 - M1900

Ext. dim. 235 x 168 x H72 mm
Int. dim. 204 x 156 x H60 mm
Set of 20



11102 - M2000

Ext. dim. 275 x 166 x H61 mm
Int. dim. 247 x 156 x H52 mm
Set of 20



11103 - M7000

Ext. dim. 365 x 210 x H125 mm
Int. dim. 330 x 195 x H110 mm
Set of 10



11104 - M10000

Ext. dim. 410 x 265 x H125 mm
Int. dim. 365 x 250 x H110 mm
Set of 10



11105 - M30000

Ext. dim. 542 x 322 x H216 mm
Int. dim. 500 x 300 x H200 mm
Set of 4



11108 - M5000C

Ext. dim. 355 x 185 x H101 mm
Set of 12



11109 - M5000A

Ext. dim. 355 x 185 x H101 mm
Set of 12



11128 - Drawer only TS5000C

Int. dim. 320 x 172 x H92 mm - Set of 12
11158 - 5002C separator - Set of 10



11129 - Drawer only TS5000A

Int. dim. 320 x 82 x H92 mm - Set of 12
11159 - 5002A separator - Set of 10

TECHNICAL SPECIFICATIONS

- Crystal-clear, impact- and UV-resistant polystyrene for 1900, 2000, 7000, 10000 and 30000 series.
- Polycarbonate for 5000 series.
- With label-holder handle and anti-drop stop.
- 6 standard models with capacities ranging from 1.9 L to 30 L.
- Dovetail assembly between each series to create an integral block.
- Drawers can be compartmentalized.

Separations

For model	Ref.	Description	
M1900	11140	Longitudinal separation	
M2000	11143		
M7000	11147		
M10000	11150		

M1900	11141	Transverse separation	
M2000	11144		
M7000	11148		
M10000	11151		

M1900	11142	Separation semi-transverse	
M2000	11145		
M7000	11149		
M10000	11152		


M2000	11146	Separation 1/3 transverse	
M10000	11153		

Étiquettes

For model	Ref.
M1900	11901
M2000	11902
M5000	11904
M7000	11903
M10000	
M30000	

MULTIROIR TBS DRAWERS

All TBS models can be combined to form integral blocks. They are supplied with removable dividers.



12101 - TBS A

Ext. dim. 182 x 132 x H74 mm
Int. dim. 155 x (2x56) x H64 mm
4 removable dividers
Set of 28



12102 - TBS B

Ext. dim. 182 x 132 x H74 mm
Int. dim. 155 x 120 x H(2x27) mm
6 removable dividers
Set of 28



12103 - TBS C

Ext. dim. 182 x 132 x H74 mm
Int. dim. 155 x 120 x H64 mm
3 removable dividers
Set of 28



12104 - TBS D

Ext. dim. 182 x 263 x H74 mm
Int. dim. 155 x 246 x H64 mm
5 removable dividers
Set of 14

MLT OPEN-FRONT BINS

Made from polypropylene, MLT spout bins are stackable, ergonomic, dimensionally stable and extremely robust. Their smooth inner walls ensure optimum hygiene. These bins are resistant to most acids, chemicals and extreme temperatures, withstanding a range from -20°C to +100°C, making them suitable for many industrial and medical applications.



901379 - Blue
901386 - Red
901393 - Transparent

Ext. dim.:
170 x 100 x H80 mm
Set of 24 per color



901423 - Red
901416 - Blue
901430 - Transparent

Ext. dim.:
236 x 160 x H130 mm
Set of 15 per color



901454 - Blue
901461 - Red
901478 - Transparent

Ext. dim.:
336 x 160 x H130 mm
Set of 10 per color



901508 - Red
901492 - Blue
901515 - Transparent

Ext. dim.:
336 x 216 x H155 mm
Set of 12 per color



901539 - Blue
901546 - Red
901553 - Transparent

Ext. dim.:
500 x 303 x H200 mm
Set of 12 per color

DIVIDABLE BINS

Divisible bins are available in two depths (300 mm and 400 mm) and two widths (91 mm and 183 mm). They are manufactured in two types of plastic: blue polypropylene, and transparent SAN, offering very high resistance to mechanical impact. Handles and dividers are designed to accept labels, making it easy to organize and identify contents. When used in a cabinet configuration, locking stops (Reference 50211) can be positioned at the rear of the bin to secure their use.



50201 - 300E B (300 x 91 x H81 mm)
50205 - 400E B (400 x 91 x H81 mm)
Set of 30

50209 - Separators (Set of 10)
50213 - Labels (Set of 100)



50203 - 300D B (300 x 183 x H81 mm)
50207 - 400D B (400 x 183 x H81 mm)
Set of 15

50210 - Separators (Set of 10)
50212 - Labels (Set of 100)



50202 - 300E TR (300 x 91 x H81 mm)
50206 - 400E TR (400 x 91 x H81 mm)
Set of 30

50209 - Separators (Set of 10)
50213 - Labels (Set of 100)



50204 - 300D TR (300 x 183 x H81 mm)
50208 - 400D TR (400 x 183 x H81 mm)
Set of 15

50210 - Separators (Set of 10)
50212 - Labels (Set of 100)

SEPARATION CONTAINERS

Made from crystal-clear polystyrene, these products are available in gray. They are ideal for compartmentalizing telescopic bins in curtain cabinets, or baskets measuring 600 x 400 x H50 or H100 mm. They are sold in complete packs, offering a practical and efficient solution for organizing and optimizing storage.



Model	Ref.	Ext. dim. (mm) L x W x H	Set of
S/56	42510	75 x 75 x 66	72
S/28	42509	150 x 75 x 66	72
S/22	42508	225 x 75 x 66	48
S/14	42507	300 x 75 x 66	36
D/14	42512	150 x 150 x 66	36
D/7	42511	300 x 150 x 66	18
S/8	42505	370 x 75 x 66	36

DRAWER BINS

Made from thick polypropylene, the drawer trays are highly rigid and impact-resistant. A dust cover can be added. Ideal for our shelving systems (see p. 81).



ARK4109
Ext. dim. 400 x 117 x H90 mm – 3 L



AES109 – Fenêtre pour ARK4109
AES PE109 – Set of 150 labels



ARK4209
Ext. dim. 400 x 234 x H90 mm – 7,3 L



AES209 – Fenêtre pour ARK4209
AES PE209 – Set of 150 labels

AQT109 – Diviseur pour ARK4109
AQT PE109 – Set of 150 labels

AQT209 – Diviseur pour ARK4209
AQT PE209 – Set of 150 labels

LAB BOXES

Storage boxes in crystal polystyrene.

Sold in complete packs.



Model	Ref.	Ext. dim. (mm) L x W x H
LAB1	45101	60 x 45 x 50 – Set of 100
LAB2	45102	60 x 90 x 50 – Set of 100
LAB3	45103	120 x 90 x 50 – Set of 50
LAB4	45104	120 x 180 x 75 – Set of 24
LAB5	45105	240 x 180 x 100 – Set of 10
LAB6	45106	360 x 240 x 110 – Set of 4

TILT BINS

Made of highly resistant ABS, the transparent drawer opens at 45° to the front.



50006 – BASC 6
Ext. dim. bloc : 600 x 91 x H113 mm



50005 – BASC 5
Ext. dim. bloc : 600 x 133 x H164 mm



50004 – BASC 4
Ext. dim. bloc : 600 x 168 x H207 mm



50003 – BASC 3
Ext. dim. bloc : 600 x 197 x H240 mm

5 | MEDICATION ACCESSORIES

MEDICINE CUPS

This product is tested to meet all requirements. Made of polypropylene, food contact quality, it is manufactured in compliance with Regulation 93/42/EEC on medical devices for oral drug distribution.

It is available in 5 different colors, allowing you to distinguish between different times of intake (morning, noon, evening, bedtime and exception).

A lid is available to protect the medication. Measuring H32 mm, it fits perfectly into our pencil boxes.

GRADUATED GOBELETS 30 ml height 41 mm - pack of 450



100150 Transparent 100152 Blue 100153 Red 100154 Green 100151 Yellow 100202 Lid white

GRADUATED GOBELETS 30 ml height 32 mm - pack of 2000



100300 Transparent 100302 Blue 100303 Red 100304 Green 100301 Yellow 100201 Lid white



25260 - Honeycomb grid for 8 cups
Fits into 1 pencil tray

CLAMSHELL PILL ORGANIZERS

The pillboxes feature a lid that can be locked in the open position thanks to a spring-loaded hinge, making them easy to use.

The clamshell boxes, all the same size, can be combined with each other thanks to a practical sliding system. They are available in five colors: yellow, blue, red, green and white, for clear, personalized organization.

HOME PILL ORGANIZERS

ONE DAY BOX



25303
Set of 24

TECHNICAL SPECIFICATIONS

- Translucent green polypropylene.
- 4 compartments for 4 daily doses, accommodating several medications.
- 1 large compartment for storing whole blister packs, sachets or folded prescriptions.
- Exterior dimensions: 118 x 70 x H26 mm.

Blue polycarbonate tablet cutter



18512
Set of 24

TECHNICAL SPECIFICATIONS

- Stainless steel cutting blade.
- Small tablet recovery tank.



4183x - NB3CT
Int. dim. : 41 x 37 x H15 mm



4184x - NB4CT
Int. dim. : 68 x 57 x H15 mm

PILL ORGANIZER FILLER

TECHNICAL SPECIFICATIONS

- Automatic filler for multi-dose blister packs.
- Optimized production cycles.
- 100% traceability.
- Small footprint (dim.: W. 80 x D. 52 x H. 44 cm).
- Supplied with 24 fillers, 1 integrated software license, 1 screen, 1 keyboard, 1 CD player, 1 Heb'Dose® blister tray.



UNIT-DOSE PACKAGING MACHINES



24002 – Cadet Vantage - 60 pouches per minute
24003 – Cadet Twin Vanatage - 120 pouches per minute

TECHNICAL SPECIFICATIONS

- Packing / overpacking of tablets and capsules.
- Output of 60 or 120 sachets/minute depending on model.
- Variable height to adapt to drug size and save money.
- Datamatrix code can be printed. Biometric security control.
- Integrated camera for visual pre-production control.

MEDICATION GRINDERS

SafeCrush™ automatic medicine crusher

It eliminates RSI, toxic splashes and cross-contamination, and reduces the risk of probe clogging. It improves the well-being of patients and caregivers.



24306
SafeCrush™ crusher



24307
Pack of 1000 cups for SafeCrush™

TECHNICAL SPECIFICATIONS

- Complete kit including 1 SafeCrush shredder, 1 removable 12V battery and 1 charger with power cable.
- CE approved.
- Weight: 5.11 kg.
- 3-year return-to-factory warranty. Graduated beakers, in packs of 1000, in polypropylene, food contact.

Video available on mdose.fr

M-Crush manual pill crusher

Manufactured in 304L stainless steel with an epoxy powder coating, the M-CRUSH effectively crushes tablets while minimizing Musculoskeletal Disorders (MSD). Hygiene and safety are guaranteed thanks to its universal bag made of food-contact quality polyethylene. A practical alternative is also available, with a pouch equipped with a spout for even more functional use.



24078
M-crush crusher



24079
Pack of 1000 universal bags

MAXGRIND™ tablet crusher

For home use, the Maxgrind™ tablet crusher is highly effective.

Simple to use, the movement to crush the medication is that of a pepper mill and requires no effort.

Possibility of adding a 32 mm high cup to collect the powder directly.



24320
MAXGRIND™ tablet crusher


6 | UNIT DOSE DISPENSING SYSTEMS

HEB'DOSE® DUO

This solution has been on the market for over 10 years, and has proved its worth with professional users and caregivers, in nursing homes and at home.

TECHNICAL SPECIFICATIONS

- A3 format weekly pill dispenser with 28 double blisters, detachable by day and by time of use.
- An exceptional compartment for easy management of special doses, treatment additions or crushable/non-crushable products.
- Two-stage opening to comply with recommendations.
- Perfect integration into the EHPAD or home environment, thanks to an adapted dispensing system.



SECUR'DOSE® SOFTWARE

TO TRACE AND SECURE THE MEDICATION CIRCUIT, FROM PREPARATION TO PATIENT ADMINISTRATION

GREATER SAFETY

Secur'Dose® provides step-by-step assistance and guidance for methodical, error-free filling in compliance with good drug preparation practices.

GREATER EFFICIENCY


The same tool, the same logic of use, interfaces with business software to retrieve prescriptions, avoid re-entries and save time.

MORE TRACEABILITY

Who, when, how, what batch number, what dosage...questions that can be answered thanks to the information collected and transmitted to the end user.

GREATER COMPLIANCE

The information needed to facilitate the administration, monitoring and understanding treatment, is clearly indicated on the prepared pillbox.



HEB'DOSE® SOLO

TECHNICAL SPECIFICATIONS


- Weekly pill dispenser in A4 format with 28 single blisters, detachable by day and by time of use.
- A different capacity for each intake time, adapted to the average number of medications usually prescribed.
- Ideal for facilities managing patients with light medication or for "counter" patients.
- Cost-effective solution.



HEB'DOSE® MULTI

TECHNICAL SPECIFICATIONS

- A3 format weekly pill dispenser with 28 multiple compartments, detachable by day and by time of use.
- A different number of compartments for each intake time to optimize capacity and avoid wastage.
- Sealing operation with a single label containing all essential information.
- Ideal for facilities wishing to separate medications.



HEB'DOSE® XL

TECHNICAL SPECIFICATIONS

- A3-format weekly pill dispenser with 28 XL compartments, detachable by the day and by time of use.
- 4 large compartments of different capacities, adapted to the number of medicines commonly prescribed per time of intake.
- A one-time sealing operation.
- Perfectly integrated into our distribution solutions for nursing homes.
- For facilities wishing to retain primary packaging.




Designed to meet safety and traceability requirements, this device limits administration errors while facilitating treatment follow-up.

PLUMIER DISPENSERS FOR NURSING HOMES

Simplify and secure the work of nursing staff

- A daily pencil box for each patient, with 6 identification criteria.
- Additional nominative storage for sachets, primary unit packaging or treatment additions.
- Perfectly smooth for easy cleaning.
- Pill dispenser positioned on a standard 600 x 400 mm tray - 8 pill dispensers per tray.
- Perfectly integrated into our CamElEon distribution carts.



BINDER-BASED SOLUTION

An optimized scenario

- Time-saving cart preparation.
- Cabinets for up to 16 weekly PDAs, depending on pill dispenser format.
- Pre-cuts for easy removal of each dose, reducing excessive handling of blister packs.
- Off-pill dispenser storage solution in 600 x 400 mm baskets.
- Perfectly integrated into our Cameleon carts.








OPERATING ROOM & STERILIZATION EQUIPMENT

Adapted solutions for screens, panel PCs and keyboards, designed to optimize workspace in constrained areas of healthcare establishments, such as the operating theater, recovery room or emergency room.

These solutions comply strictly with hospital hygiene and infection prevention guidelines, guaranteeing a safe and functional environment.



1 | MEDICAL MOUNTING SYSTEMS

PIVOTING & ARTICULATED ARMS

This type of medical fixture consists of an arm with its equipment termination, and either a wall-mounted, rail-mounted, tube-mounted or ventilator-mounted adaptation.



Easy to clean



EN 60601 certification



Integrated cable



Space-saving

TECHNICAL SPECIFICATIONS

Available in :

- Single or double pivot arm with rotation of + or - 90°.
- Single or double adjustable arm for height adjustment to suit ergonomic requirements.
- Up/down tilting equipment support.
- Epoxy-painted aluminum RAL 9016.
- Smooth surface for easy disinfection.
- Cables integrated into the arm.
- Simple, easy assembly.
- Zero maintenance and 5-year warranty.

Fixed VESA termination arm for PC screen/panel and folding keyboard support 580x200 mm (Z termination)



Single pivot arm
Length 240 or 300 mm
224M / 230 M




Single adjustable arm
Length 450 mm
431M



Double pivot arm
Length 2 x 300 mm
H33030m



Double adjustable arm
Pivot length 250 and adjustable length 450 mm
73130M



Fixed VESA termination arm for PC screen/panel and fixed keyboard support 580x200 mm (W termination)



Single pivot arm
Length 240 or 300 mm
224F / 230F




Single adjustable arm
Length 450 mm
431F



Double pivot arm
Length 2 x 300 mm
H33030F



Double adjustable arm
Pivot length 250 and adjustable length 450 mm
73130F



VESA termination arm for PC panel displays



Single pivot arm
Length 240 or 300 mm
224G - 230G



Single adjustable arm
Length 450 mm
431G



Double pivot arm
Length 2 x 300 mm
33030G - Light applications
H33030G - Heavy-duty applications



Double adjustable arm
Pivot length 250 and adjustable 450 mm
73130G



Short arm
910G - 910GS

VESA QUICK RELEASE termination arm for PC panel displays



Single pivot arm
224Q - 230Q



Single adjustable arm
431Q



Double pivot arm
33030Q - Light applications
H33030Q - Heavy-duty applications



Double adjustable arm
73130Q



Short arm
910Q


Fixed VESA termination arm for PC monitor / panel and inclined keyboard support 580x200 mm (L termination)



Single adjustable arm
Length 240 mm
431L



Double adjustable arm
Pivot length 250 and adjustable length 450 mm
73130L



Termination arm for keyboard support 580x200 mm and mouse



Single pivot arm
Length 240 or 300 mm
224E - 230E



Single adjustable arm
Length 240 mm
431E



Short arm and fold-down keyboard



Short arm + fold-down keyboard
and right/left mouse holder



Double pivot arm
Length 2 x 300 mm
33030E



Double adjustable arm
Pivot length 250 mm and adjustable length 450 mm
73130E



Fold-out keyboard short arm

Monitor termination arm



Single pivot arm
Length 240 or 300 mm



Double pivot arm
Length 2 x 300 mm



Single adjustable arm
Length 240 mm




Double adjustable arm
Pivot length 250 and adjustable length 450 mm

Monitor termination arm PHILIPS



Single pivot arm
Length 240 or 300 mm



Double pivot arm
Length 2 x 300 mm



Single adjustable arm
Length 240 mm



Double adjustable arm
Pivot length 250 and adjustable length 450 mm

Wall adapter



Fixation sur rail DIN horizontal
(DIN 10x25, 8x35, 10x30, 10x50 mm)



Vertical rail mounting
DIN 10 x 25 mm
9



Universal vertical rail mounting
4S



CIM rail mounting
(Please order vertical slide rail)
4V



Pipe mounting
25 / 30 / 35 / 38 mm
1 / 1B / 1F / 1C



Universal mounting
on 23-40 mm tube
1V

Respirator adapter



Attachment to anesthesia
machines (all suppliers)
With existing side rail H80 mm



Lateral adapter L178 mm
Dräger Apollo/Julian/Primus
To be ordered separately



Lateral adaptation L178 mm
Carestation 620/650/ GE Avance/
Avance CS2/ GE Aespire/Aespire
View
To be ordered separately



WALL-MOUNTED COLUMNS

ECO wall column





Height-adjustable wall column

TECHNICAL SPECIFICATIONS

- Wall-mounting for PC/screen panel.
- Column consisting of :
 - › 800 mm aluminum rail,
 - › A VESA 75/100 bracket with lateral and tilt adjustment,
 - › Hinged keyboard and mouse tray.
 - › CPU support can be added - a second aluminum rail is required.
- Work surface height effortlessly adjustable
- Maximum keyboard width: 208 mm.
- Mouse support dimensions: 220 x 180 mm.
- CPU support width: between 134 and 234 mm.
- Quick and easy to assemble and secure.

IT-Lift wall column



TECHNICAL SPECIFICATIONS

Compact wall-mounted column:

- Powder-coated aluminum RAL 9016.
- Smooth surface for easy disinfection.
- Cables integrated into column.
- VESA 75/100 quick-release bracket.
- Adjustable work surface up to 328 mm.
- Zero maintenance and 5-year warranty.
- Magnetic keyboard/mouse holder 580 x 200 mm.
- The keyboard stand is retractable to save space (100 mm from the wall when folded).
- Unfolded, the keyboard support is 490 mm from the wall.
- Simple, easy assembly.
- Zero maintenance and 5-year warranty.

2 | MEDICAL IT EQUIPMENT

A wide range of panel PCs, monitors and medical tablets to meet the needs of medical IT workstations, while guaranteeing compliance with the health and safety standards in force in healthcare establishments.

PANEL PCS

They optimize computing space with an "all-in-one" workstation comprising CPU and monitor.

PANEL POC 6 internal power supply or external power supply

TECHNICAL SPECIFICATIONS

- Available with either an integrated power supply or an external battery.
- Power supply unit integrated into the PC panel.
- No ventilation.
- Resistant to dust and liquid splashes: IP65 front panel and IP54 rear panel.
- Capacitive touch station, suitable for use with gloves.
- Image can be zoomed and rotated.
- Flat, smooth surface for fast, total disinfection.
- EN 60601-1-2 compliant.
- Rich, protected connectivity.
- Full HD resolution, 1920 x 1080.
- Available with Intel Core i5 or i7 processor.
- SSD NVME hard disk.
- Warranty: 3 years, extendable to 4 or 5 years.



POC 621 - 21,5" / 624 - 23,8"
internal or external power supply
11th generation



POC 621/624
with 2 external battery modules
for mobile solutions



Charging station



POC 615
11th generation

PANEL POC 4 external power supply

TECHNICAL SPECIFICATIONS

- No ventilation.
- Resistant to dust and liquid splashes: IP65 front panel and XP1 rear panel.
- Option IP54 rear panel if no battery.
- IP43 rear option for external batteries.
- Capacitive, glove-friendly touchscreen.
- 14th generation U5 or U7 processor.
- FHD resolution, 1920 x 1080.
- SSD NVME hard disk.
- EN60601-1-2 compliant.
- 1 RS-232 port as standard, 2nd port optional.
- No expansion slot.
- Warranty: 3 years with extension to 4 or 5 years.



POC 421 - 21.5" / 424 - 23.8" without battery
14th generation



POC 421 - 21.5" / 424 - 23.8" with battery
14th generation



Hot-swappable batteries - Power ratings
2 x 140W (9 to 11H runtime)
2 x 210W (14 to 16H runtime)
2 x 280W (18 to 22H runtime)



Charging station

MEDICAL MONITORS & TABLETS

An alternative to the Panel PC, the medical display requires connection to a CPU. It is particularly suited to applications in endoscopy, radiography and CT scanning, offering a reliable solution for these demanding environments.

The monitors

TECHNICAL SPECIFICATIONS

- Resistance to dust and liquid splashes: IP54 front and rear.
- Gloved touch panel.
- Image can be zoomed and rotated.
- Flat, smooth surface for fast, total disinfection.
- EN60601-1-2 compliant.
- Rich connectivity and control buttons on front panel.
- 2 resolutions:
Full HD, 1920 x 1080 for PAX 121 and 124 models.
4K UHD, 3840 x 2160 for PAX 327 and 332 models.
- Warranty: 2 years, extendable to 3 or 4 years.
- Touch panel usable with gloves (optional).



PAX-121 - 21.5"



PAX-124 - 23.8"



PAX 327 - 27"
PAX 332 - 32"

The medical tablet

TECHNICAL SPECIFICATIONS

- Rugged, waterproof IP65 tablet, SHA-resistant.
- 5 Mp front and 13 Mp rear camera, with barcode scanner as standard.
- Wi-Fi: 802.11 a/b/g/n/ac/ax.
- Screen: 10.1".
- Resolution: 1920 x 1200.
- Processor: Intel Celeron N200.
- Warranty: 2 years with extension to 3 or 4 years.



3 | MEDICAL-GRADE KEYBOARDS & MICE

Nursing staff are faced with strict constraints in terms of hygiene and the time required to disinfect their workstations. Traditional office equipment, with its embossed keys, is unsuitable as a nest for microbes and makes cleaning between keys difficult. What's more, they are not compatible with the use of hydro-alcoholic solutions.

The range of medical keyboards and membranes for portable PCs meets these requirements perfectly, while preserving input comfort for users.

WIRED KEYBOARDS & MICE

Mdose antibacterial relief-free keyboard



73.001
Dim. : 400 x 130 x H22 mm

TECHNICAL SPECIFICATIONS

- Ultra-flat, relief-free keyboard for fast, efficient cleaning.
- Keyboard membrane combining a Nano Silver antibacterial system with a hypoallergenic silicone protective barrier.
- Withstands commonly used disinfectants.
- Replaceable membrane.
- Wired AZERTY keyboard, USB port.
- Slim, compact keyboard: 400 x 130 x H22 mm.
- Key life: 10 million keystrokes.
- 1-year warranty.

Mdose IP68 mouse



73.004
Dim. : 115 x 65 x H40 mm

TECHNICAL SPECIFICATIONS

- IP68 standard, fully submersible.
- 5-button wired mouse - Interface: USB.
- Ergonomic design for comfortable use.
- 100% latex-free silicone.
- Resistant to commonly used disinfectants.
- Outer dimensions: 115 x 65 x H40 mm.

Mdose IP68 keypad



73.003
Dim. : 440 x 138 x H12 mm

TECHNICAL SPECIFICATIONS

- Full protection against dust and liquid splashes IP68 (submersible).
- 106-key wired AZERTY keyboard.
- Slightly embossed for easier typing.
- Key lock mode for easy cleaning.
- Excellent tactile feel.
- 100% silicone, latex-free membrane.
- Interface: USB, PS/2.
- Dimensions: 440 x 138 x H12 mm.
- Warranty: 1 year.

MEDIGENIC IP65 keyboard and mouse



73.CLAV.MED.IP65
MEDIGENIC IP65 wired keyboard
Dim. : 462 x 170 x H34 mm

TECHNICAL SPECIFICATIONS

- Ultra-flat, relief-free design for fast, efficient cleaning.
- IP65 standard: resistant to water and hydro-alcoholic solutions.
- Hypoallergenic, latex-free silicone material.
- Removable, replaceable casing.
- Key lock mode for easy cleaning.
- Light blue color.
- AZERTY keyboard.
- Cable length: 2 meters.
- Key life: 1 million presses.
- Compatible with: Windows 7, XP, 2000 and MAC.
- 2-year warranty.

TECHNICAL SPECIFICATIONS

- Flat, easy-to-clean design.
- Can be rinsed with water (IP65 standard).
- Hypoallergenic, latex-free silicone material.
- Ergonomically designed to minimize strain.
- Light blue color.
- 3 buttons.
- Cable length: 2 meters.
- Interface: USB.
- Compatible: Windows 7, XP, 2000 and MAC.
- Warranty: 2 years.



73.SOURIS.MED.IP65.S
Wired IP65 USB MEDIGENIC mouse
Dim. : 137 x 67 x H37 mm

IP68 keyboard



73.GPK.421WH.FR
IP 68 wired keypad
Dim : 446 x 131 x H15 mm

TECHNICAL SPECIFICATIONS

- IP68 silicone keyboard with antibacterial surface treatment.
- Complete protection against dirt and liquids.
- Easy cleaning with hospital-grade antibacterial wipes and sprays.
- Key surfaces protrude 5 mm for more effective disinfection.
- Excellent tactile feel, suitable for use with gloves.
- Keyboard deactivation function for cleaning without unplugging.
- 108-key AZERTY keyboard.
- Silicone surface, ABS casing.
- Compatible with: Windows (all versions) and Mac OSX.
- 3-year warranty.

WIRELESS KEYBOARDS & MICE

IP68 wireless keyboard



73.GPK.421W.WH.FR
IP68 keyboard
Dim : 446 x 131 x H15 mm

TECHNICAL SPECIFICATIONS

- IP68 silicone keyboard with antibacterial surface treatment.
- Rigid, sturdy keyboard, waterproof and washable, ABS case.
- Total protection against dirt and liquids, can be submerged (IP68).
- Easy cleaning with hospital-grade antibacterial wipes and sprays.
- Key surfaces protrude 5 mm for more effective disinfection.
- Excellent tactile feel, suitable for use with gloves.
- Wireless recharging via USB base (no need for batteries).
- Keyboard deactivation function for cleaning without unplugging.
- 108-key AZERTY keyboard.
- Wireless interface: Bluetooth and RF 2.4 GHz via adapter.
- Compatible with: Windows (all versions) and Mac OSX.
- Warranty: 3 years.

4 | STERILIZATION SERVICE FURNITURE

SINGLE, DOUBLE & TRIPLE STERILIZATION TROLLEYS

TECHNICAL SPECIFICATIONS

- Frame in 18/10 stainless steel (AISI 304), fully argon-welded.
- Welded feet.
- 30 mm square tube.
- Ø100 mm ABS wheels with wash tunnel bumper.
- Available in single, double or triple and with 3, 4, 6 or 8 hook levels.
- Made in France.
- 2-year warranty.



60.801093
Single-sided 3 hooks
H1230 x 550 x D530 mm



60.801092
Single-sided 4 hooks
H1570 x 550 x D530 mm




60.801095
Double-sided 6 hooks
H1230 x 550 x D770 mm




60.801094
Double-sided 8 hooks
H1570 x 550 x D770 mm



Single-sided 4 hooks



Double-sided 8 hooks



Double-sided 6 hooks



60.801097
Triple-sided 6 hooks (without accessories)
H1230 x 550 x D1100 mm




60.801096
Triple-sided 8 hooks (without accessories)
H1570 x 550 x D1100 mm


WALL-MOUNTED SUPPORTS

TECHNICAL SPECIFICATIONS

- Frame in 18/10 stainless steel (AISI 304), fully argon-welded.
- Welded stainless steel spacers.
- 20 mm square tube, welded shut.
- Rear offset for easy cleaning.
- Available with 3 or 4 hooks.
- Made in France.
- 2-year warranty.



60.801064 (without accessories)
3-hook wall bracket
540 x H1000 mm




60.801062 (without accessories)
4-hook wall bracket
540 x H1600 mm

BASKETS & ACCESSORIES


Stainless steel wire baskets and shelves

TECHNICAL SPECIFICATIONS

- Basket in 18/10th stainless steel wire.
- 30 x 30 mm mesh.
- Pinned end to prevent paper pockets from tearing.



60.805044
Basket 600 x 300 x 150




60.805046
Basket 600 x 300 x 150 notched




60.805048
Basket 600 x 300 x 150



60.805051
Basket 600 x 400 x 150




60.805052
Basket 600 x 400 x 150 notched




60.805062
Basket 600 x 150 x 150




60.805040
Basket 600 x 300 x 300




60.805042
Basket 600 x 300 x 300 notched



60.805041
Basket 600 x 400 x 300




60.805043
Basket 600 x 400 x 300 notched



60.805063
Wire shelf 600 x 280



60.805064
Wire shelf 600 x 385




Basket dividers


Reference	Dimensions
60.805065	300 x H150 mm
60.805066	400 x H150 mm
60.805067	600 x H150 mm

Reference	Dimensions
60.805068	300 x H300 mm
60.805069	400 x H300 mm
60.805070	600 x H300 mm


ACCESSORIES



60.805047
2-level suture rack
600 x 130 x H200 mm x2



60.805045
4-level suture rack
600 x 130 x H400 mm x4



60.805071
Glove basket
600 x 150 x 150 mm




60.805072
Basket tilt support




4 probe hooks
60.805073 – for basket
60.805074 – for trolley



8 probe hooks
60.805049 – for basket
60.805075 – for trolley



60.805076
Shoe rack
548 x 350 mm



60.805077
Container holder
640 x 315 mm




60.805058
Double shelf
540 x 215 mm



60.805059
Triple cart center shelf
540 x 310 mm



60.805079
Single shelf
600 x 390 mm



60.805050
Multifunction console shelf
548 x 355 mm



60.805080
Writing shelf
548 x 355 mm



60.805078
100 L bag holder



Spout tray support
60.805053 – single support
60.805054 – double support



Tilting bin supports
60.805060 – 6 bins
60.805061 – 5 bins
60.805086 – 11 bins

PACKAGING TABLE

TECHNICAL SPECIFICATIONS

- Structure in 18/10th stainless steel (AISI 304), fully argon welded.
- Stainless steel or compact resin tray.
- 30 mm square reinforced tube.
- Smooth, soundproof top.
- Available in 1-tray version with 3-sided spacer or in 2-tray version, including ½ lower tray.
- Ø100 mm ABS wheels.
- Maximum load per tray: 60 kg.
- Made in France.
- 2-year warranty.

Stainless steel tray table



60.805001 – table with 1 top 1000 x 700 mm (without accessories)
60.805002 – table with 1 top 1500 x 700 mm (without accessories)
60.805003 – table with 1 top 2000 x 700 mm (without accessories)



60.805004 – table with 2 tops 1000 x 700 mm (without accessories)
60.805005 – table with 2 tops 1500 x 700 mm (without accessories)
60.805006 – table with 2 tops 2000 x 700 mm (without accessories)

Compact resin tray table



60.805007 – table with 1 top 1000 x 700 mm
60.805008 – table with 1 top 1500 x 700 mm
60.805009 – table with 1 top 2000 x 700 mm



60.805010 – table with 2 tops 1000 x 700 mm
60.805011 – table with 2 tops 1500 x 700 mm
60.805012 – table with 2 tops 2000 x 700 mm

Colors

60.8011
White

60.8012
Grey

60.8016
Yellow

60.8017
Orange

60.8018
Red


60.8019
Morello cherry

60.8020
Paradise green


60.8021
Batik blue

60.8022
Petroleum blue


ACCESSORIES



60.805063
Wire shelf 600 x 280 mm



60.805064
Wire shelf 600 x 385 mm



60.805050
Console shelf 548 x 355 mm


Stainless steel
wire basket
see p. 119



60.805081
Document support



60.805053 – Single spout tray support
60.805054 – Double spout tray support



60.805062
Basket 600 x 150 x 150



60.805082
4-hook gantry



60.805083 – Stainless steel pedestal with 1 unit
60.805084 – Pedestal with 2 units



60.805085
Pedestal with 3 units

5 | OPERATING ROOM FURNITURE & ACCESSORIES

STAINLESS STEEL INSTRUMENT TABLE

TECHNICAL SPECIFICATIONS

- Table in 18/10th stainless steel (AISI 304), argon welded.
- 25 mm square tube base.
- Available in 1 top with central spacer or 2 tops.
- Under-top stiffener for increased rigidity.
- 100 mm diameter wheels.
- Optional: 2 brakes and/or 2 antistatic.
- Maximum load per tray: 50 kg.
- Made in France.
- 2-year warranty.

	Reference	Dimensions
1 top	60.802034	400 x 400 mm
	60.802036	600 x 400 mm
	60.802038	750 x 500 mm
	60.802042	1000 x 600 mm
	60.802041	1200 x 600 mm
2 tops	60.802033	400 x 400 mm
	60.802035	600 x 400 mm
	60.802037	750 x 500 mm
	60.802039	1000 x 600 mm
	60.802040	1200 x 600 mm



60.802042
Table 1 stainless steel top 1000 x 600 mm



60.802039
Table with 2 stainless steel tops 1000 x 600 mm

TECHNICAL SPECIFICATIONS

- Table in 18/10th stainless steel (AISI 304), argon welded, top in composite resin.
- 25 mm square tube base.
- Available in 1 top with central spacer or 2 tops.
- Under-tray stiffener for increased rigidity.
- 100 mm diameter wheels.
- Optional: 2 brakes and/or 2 antistatic.
- Maximum load per tray: 50 kg.
- Made in France.
- 2-year warranty.



60.802048 + 60.8022
Table 1 resin top 1000 x 600 mm



60.802047 + 60.8018
Table with 2 resin tops 1000 x 600 mm

	Reference	Dimensions
1 top	60.802044	600 x 400 mm
	60.802046	750 x 500 mm
	60.802048	1000 x 600 mm
	60.802050	1200 x 600 mm
	60.802043	400 x 400 mm
2 tops	60.802045	600 x 400 mm
	60.802047	1000 x 600 mm
	60.802049	1200 x 600 mm

Colors

60.8011
White

60.8012
Grey

60.8016
Yellow

60.8017
Orange

60.8018
Red

60.8019
Morello cherry

60.8020
Paradise green

60.8021
Batik blue

60.8022
Petroleum blue

60.800031 - 2 wheels with brakes

60.800033 - 2 antistatic wheels and 2 with brakes

BRIDGE TABLE

Manually adjustable stainless steel bridge table

TECHNICAL SPECIFICATIONS

- Table in 18/10th AISI 304 stainless steel, argon welded.
- Top 900 x 600 or 1200 x 600 mm with dropped edges.
- Manual assembly with screw lock.
- Height adjustable between 890 and 1320 mm.
- 100 mm diameter wheels.
- Options available: 2 brakes and/or 2 antistatic.
- Maximum load per tray: 40 kg.
- Made in France.
- 2-year warranty.



60.802030 – Manual bridge table 900 x 600 mm
60.802029 – Manual bridge table 1200 x 600 mm



60.802032 – Hydraulic bridge table 900 x 600 mm
60.802031 – Hydraulic bridge table 1200 x 600 mm

Table pont inox hydraulique

TECHNICAL SPECIFICATIONS

- Table in 18/10th AISI 304 stainless steel, argon welded.
- Top 900 x 600 mm with dropped edges.
- Synchronized hydraulic jack system with retractable handle.
- Height adjustable between 890 and 1320 mm.
- 100 mm diameter wheels.
- Options available: 2 brakes and/or 2 antistatic.
- Maximum load per tray: 40 kg.
- Made in France.
- 2-year warranty.

SILENT ASSISTANT TROLLEY

TECHNICAL SPECIFICATIONS

- Structure in 18/10th AISI 304 stainless steel.
- 30 mm square tube.
- Drop-edge tray 600 x 450 mm.
- Maximum tray weight: 10 kg.
- Manual or hydraulic height adjustment from 870 to 1200 mm.
- Ø100 mm wheels, 2 of which are antistatic.
- Made in France.
- 2-year warranty.



Silent assistant U base
60.801050
60.801049 (2 with brake)



Hydraulic silent assistant
60.801053
60.801052 (2 with brake)



Silent assistant H-frame
60.801054
60.801056 (2 with brake)


MOBILE STAINLESS STEEL SHOE RACK

TECHNICAL SPECIFICATIONS

- AISI 304, 18/10th stainless steel structure, fully argon welded.
- Capacity: 15 or 30 pairs.
- ABS wheels Ø100 mm, suitable for tunnel washers.
- 2-year warranty.



60.801091
15 pairs



60.801090
30 pairs

STAINLESS STEEL STEP STOOL

TECHNICAL SPECIFICATIONS

- Frame in 18/10th AISI 304 stainless steel, fully welded.
- Engraved, non-slip stainless steel.
- Rubber glide.
- Maximum weight: 110 kg.
- 2-year warranty.



60.801080
1 step at 20 cm height



60.801081
2nd step at height 37 cm



60.801082
3rd step at height 60 cm

STAINLESS STEEL OPERATING ROOM PLATFORM

TECHNICAL SPECIFICATIONS

- Frame in 18/10th AISI 304 stainless steel, fully welded.
- Engraved, non-slip stainless steel.
- Anti-slip rubber pad adjustable up to 3 cm.
- Maximum weight: 120 kg.
- 2-year warranty.



60.801085
600 x 400 x H150 mm



60.801084
600 x 400 x H200 mm



60.801086
2 X 600 x 350 - H450 mm

STAINLESS STEEL WALL ACCESSORIES

Accessories in 6 mm stainless steel wire, pre-drilled for wall mounting.



60.801058
Urinal support
Ø140 x H160 mm



60.801059
Basin support
310 x 110 x H150 mm



60.801060
Glove box holder
270 x 80 x H130 mm



60.801061
3 glove box holder
220 x 70 x H370 mm

SINGLE OR DOUBLE STAINLESS STEEL BAG HOLDERS

TECHNICAL SPECIFICATIONS

- Available versions: single or double.
- Fully welded stainless steel structure.
- Retention system for 100 L bags.
- Ergonomic handles.
- Ø80 mm ABS wheels.
- Silent and hygienic mobility.
- Easy cleaning and disinfection.



60.801066
Single stainless steel bag
holder, 100L



60.801065
Double stainless steel bag
holder, 100L

STAINLESS STEEL ROLLING BASIN

TECHNICAL SPECIFICATIONS

- 18/10th stainless steel tubing, AISI 304.
- Stainless-steel bin Ø400 mm 15 liters.
- Ø50 mm ABS polyamide and/or antistatic castors.



60.801055 - 4 ABS
polyamide wheels

60.801057 - 4 ABS
antistatic wheels

SURGEON'S SADDLE

TECHNICAL SPECIFICATIONS

- Moulded polyurethane seat, ergonomic and tiltable.
- Height adjustable by gas lift from 53 to 72 cm, with foot control.
- Ø65 mm castors.



60.801075

STOOL

TECHNICAL SPECIFICATIONS

- Molded seat in black polyurethane, 320 mm diameter, 50 mm thick.
- Seat in black leatherette polyurethane, 360 mm diameter, 60 mm thick.
- Height adjustable by gas lift from 53 to 72 cm.
- Aluminum or polyamide 5-star base with 50 mm castors.



60.801070
Seat 320 mm



60.801072
Seat 360 mm
Foot control



60.801074
360 mm seat and backrest
Order feet

FARMALIS BY MDOSE COLOR CHART

60.RAL1016
Sulfur yellow

60.RAL1017
Saffron yellow

60.RAL1028
Melon yellow

60.RAL2011
Deep orange

60.RAL3001
Signal red

60.RAL3015
Light pink

60.RAL3018
Strawberry red

60.RAL3020
Traffic red

60.RAL4002
Red violet

60.RAL4003
Heather violet

60.RAL4004
Claret violet

60.RAL4005
Blue lilac

60.RAL4006
Traffic purple

60.RAL5002
Ultramarine blue

60.RAL5005
Signal blue

60.RAL5012
Light blue

60.RAL5015
Sky blue

60.RAL5018
Turquoise blue

60.RAL5019
Capri blue

60.RAL6018
Yellow green

60.RAL6019
Pastel green

60.RAL6033
Mint turquoise

60.RAL6034
Pastel turquoise

60.RAL7035
Light grey

60.RAL7038
Agate grey

60.RAL7040
Window grey



www.mdose.fr

10 route de Brie-Comte-Robert - 94520 Périgny-sur-Yerres FRANCE

Fax : +33 (0)1 45 10 15 95 - E-mail : info@mdose.fr

Tel. +33 (0)1 45 10 77 90 / 77 91

Find all solutions for secure and traceable
unit dose dispensing on our website:

www.mdose-pda.fr

